

Texture Sprayers

Graco's Complete Line of Professional Texture Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.

There is nothing like a Graco[®] sprayer.

Quality. Performance. Durability. Productivity.

Graco TexSpray[™] family of products deliver on all counts and provide substantial benefits to the professional texture contractor. Each TexSpray model boasts plenty of user-friendly features and broad performance capabilities. Graco has a TexSpray model for spraying nearly every application! When you choose Graco, you know that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco products are designed, manufactured, and assembled right here in the USA with global components and imported Honda[®] engines. We do!



MADE IN THE USA WITH



IADE IN THE USA WITH MPORTED HONDA® ENGINES



What is the G4 Difference? Simply put, it's Graco's commitment to provide you with the very best texture sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVENQUALITY

100% factory-tested and field-proven design, coupled with cutting-edge technology, keep Graco sprayers performing reliably on the job for years.

MAXIMUM **PERFORMANCE**

Higher output with superior control ensures the highest quality finish for every job.

INDUSTRY-LEADING WARRANTY

Every Graco texture sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

UNMATCHED **PRODUCTIVITY**

Exclusive Endurance[™] pumps deliver long life and reliable performance, while the Endurance Advantage Program eliminates downtime by enabling you to always have a spare pump on hand or quick job site change-out.

For patent information see www.graco.com/patents.

Graco TexSpray: The Leader in Texture Sprayers

As a world leader in fluid handling technology, Graco has been building the very best, most reliable industry-leading texture sprayers for over 25 years. No matter your texture spraying requirements—air-driven, gas mechanical, electric airless, gas airless, or gas hydraulic—Graco has your **Total Job** *Solution* for you.

Table of Contents

Texture Application Guide 3
FastFinish [™]
RTX [™] Texture Sprayers
HTX [™] Gas Mechanical Texture Sprayers 11
Air-Powered Texture Sprayers 13
Choose the Right Model and Series of Airless Sprayer 15
Mark Electric Airless Sprayers
HD Gas-Powered Airless Sprayers
DutyMax™ Hydraulic Airless Sprayers
Endurance Advantage Program
Warranty
Accessories
Specifications










Texture Application Guide

Get the Interior **and** Exterior Finish You Want!

With the widest selection of texture models to choose from and a host of performance enhancing accessories, there is a TexSpray texture sprayer to help you complete your projects—no matter what finish you desire.



EXTERIOR TEXTURE

		EXTERIOR TEXTUR	<i>E</i>	
Knockdown	Smooth, Level 5 and Skim Coat	Textured Acrylics and Elastomerics	EIFS and Synthetic Stucco Finish Coats	Deck Coatings
		COMMONLY USED	MATERIALS	
 All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures 	 All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures Skim Coat Materials Wall Surfacing Materials 	 Textured Acrylic Materials Textured Elastomeric Materials 	 Textured Acrylic Materials Used as the Final Coat in a Multi-layered Wall System 	 Decorative and Anti-Skid Deck Coatings
		SPRAYER RECOMM	ENDATIONS	
ravity-Fed ppper Gun FastFinish opper Gun RTX 1400si RTX 2000Pi RTX 5000Pi TX 2000Ex k IV* k V* 240 Volt* 5900 HD* 7900 HD* 7900 HD* GH 300Di* 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Mark IV Mark V Mark X 240 Volt 5900 HD 7900 HD HTX 2030 DutyMax GH 230pi* DutyMax GH 300pi*	Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 5000Px RTX 5500Px Use with aggregates up to 3 mm GTX 2000Ex Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.5 mm 10:1 President Use with aggregates up to 2.5 mm	Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 5000Px RTX 5500Pxt Use with aggregates up to 3 mm GTX 2000Ex Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.5 mm 10:1 President Use with aggregates up to 2.5 mm	Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 5000Px RTX 5500Px [†] Use with aggregates up to 3 mm
		TEXTURE ACCESSO	RIES	
Air Atomizer Kit (Part #244223) Use with Mark IV, Mark V, 5900 HD 25 Gallon Hopper (Part #287987) Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030, DutyMax GH 23001*, DutyMax GH 30001* 55 Gallon Siphon Set (Part #289669) Use with Mark X 240 Volt, 7900 HD, HTX 2030, DutyMax GH 23001*, DutyMax	25 Gallon Hopper (Part #287987) Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, DutyMax GH 2300 ^{1*} , DutyMax GH 3000 ^{1*} 55 Gallon Siphon Set (Part #289669) Use with Mark X 240 Volt, 7900 HD, DutyMax GH 2300 ^{1*} , DutyMax GH 3000 ^{1*} High Pressure Pump Kit (Part #24B140) Use with HTX 2030	WideTex Kit (Part #245143) Use with RTX 1500, GTX 2000ex External Air Kit (Part #287328) Use with RTX 5500ex,	WideTex Kit (Part #245143) Use with RTX 1500, GTX 2000ex External Air Kit (Part #287328) Use with RTX 1500	WideTex Kit (Part #245143) Use with RTX 1500, GTX 2000ex External Air Kit (Part #287328) Use with RTX 1500

WHAT'S NEW? INTRODUCING FASTFINISH

SPRAYS IT ALL!

- Acoustics
- Drywall Mud
 - Knockdown
 - Splatter
 - Orange-peel
- Fine concrete overlays
- Deck coatings
- Fireproofing
- Waterproofing
- Much more





TEXSPRAY FASTFINISH PRO TEXTURE SPRAY SYSTEM Includes:

FastFinish CF9 Air Compressor -120V, 15 amp -9 cfm @ 40 psi -0il-less design -Tank-less, continuous flow design

FastFinish Pressure-Boosted Hopper Gun

- 4mm, 6mm, 8mm Nozzles
- WideTex Fan Spray Kit

3/8 in x 50 ft Premium non-marking air hose

FINISH 6X FASTER WITH PRESSURE BOOST TECHNOLOGY

Innovative system uses air to boost performance and deliver a superior spray finish

THE POWER OF A LARGE SPRAY RIG IN THE PALM OF YOUR HAND!

HOW IT WORKS

- 1. Air enters gun
- 2. Adjustable Flow Control sends air to hopper
- 3. Air pushes down on material
- 4. Pressurized material and air mix, creating a texture finish

BOOST PRODUCTIVITY AND FINISH 6X FASTER!

Introducing breakthrough texture spray technology, the TexSpray FastFinish System is engineered to deliver exceptional texture finishes *6X FASTER* than traditional gravity-feed hoppers so you can finish fast with less fatigue. Small and portable, FastFinish maximizes material and air flow with a high-output, continuous flow air compressor and pressurized spray gun—making it the ideal solution for smaller texture jobs.

FASTEST WAY TO FINISH SMALL TEXTURE JOBS

FINISH FAST WITH LESS FATIGUE

FastFinish delivers a professional finish at breakthrough speed—*DRAMATICALLY REDUCING THE TIME REQUIRED TO HOLD A FULL 20 LB HOPPER OVERHEAD.* The ultimate high performance small job solution for acoustics, drywall mud, fireproofing, deck coatings, and much more.



WOULD YOU RATHER HOLD 20 LBS OVER YOUR HEAD FOR ONE HOUR, OR JUST 10 MINUTES? THE CHOICE IS CLEAR — FASTFINISH!

DESCRIPTION	INCLUDES	PART #
FastFinish Pro Texture Spray System	FastFinsh Pressure-Boosted Gun, CF9 Compressor, 3/8 in X 50 ft Air Hose	25D492
FastFinish Standard Texture Spray System	G-TEX Gravity Gun, CF9 Compressor, 3/8 in X 50 ft Air Hose	25D494
FastFinish CF9 Air Compressor	CF9 Air Compressor Only	25D490
FastFinish Pressure-Boosted Hopper Gun	FastFinish Pressure-Boosted Gun, 1.5 Gallon Hopper, 3 Nozzles	25D496
G-TEX Gravity-Feed Hopper Gun	G-TEX Gravity-Feed Gun, 2 Gallon Hopper, 3 Nozzles	25D497

Choose the RIGHT SERIES. A sprayer for every job.

Graco texture sprayers are built to make your work easier, faster, and more productive. Whether you're looking for the everyday reliability of our RTX Standard Interior Series, the increased speed and productivity of the RTX Pro Interior Series, or the compact, yet powerful RTX Pro Exterior Series, Graco offers the ideal sprayer designed from the ground-up to meet your needs.



EXTERIOR

6.1 CFM (.17)

6.1 CFM (.17)

INTERIOR JOBS

6.1 CFM (.17)

8.6 CFM (.24)

8.6 CFM (.24)

9.1 CFM (.26)

EXTERIOR JOBS

The **RTX Standard Interior Series** is the everyday finishing solution designed for the residential and repaint contractor looking for everyday reliability. The features you want with the finish you need.



FEATURES:

RotoFlex[™] II Pump

- Features an innovative braided sling that provides extra support to the RotoFlex pump tube
- 1.4 gpm output to get the job done quickly job site proven!

High-Output 6.1 cfm Air Compressor

- High-output design delivers 33% more air for demanding finishes
- Maintenance-free design
- Projects materials farther

120v AC High-Output Electric Motor

- Optimized design offers improved power and performance
- Single-motor design operates both the air compressor and the RotoFlex pump

Skip-Bond Material/Air Hose

 Both hoses are permanently bonded together for easy handling
 Offers improved flexibility

FlexChange[™] Pump Section

- No-Tools pump replacement systemnow easier than ever!
- Swap out a spare RotoFlex pump in seconds!
- Eliminate costly job site downtime

Adjustable Material Flow Control

 Dial up to spray thicker materials; Dial down for less flow and maximum control
 Easy-to-read gauge

Lightweight Spray Gun

- Durable, corrosion-resistant design
- Easy-to-use air & trigger adjustment
- Ergonomically styled for comfortable spraying

RTX Texture

TexSpray RTX 1400sl

DESCRIPTION	PART #
TEXSPRAY RTX 1400si	17H572
SPECIFICATIONS	
MAX GPM (LPM):	1.4 (5.3)
MAX PSI (BAR):	70 (4.8)
CFM (CM) @ 20 PSI:	6.1 (.17)
HOPPER GAL (L):	10 (38)
MOTOR TYPE:	AC
MOTOR HP:	1.7
VOLTAGE:	120V
MAX HOSE FT (M):	25 (7.5)

INCLUDES

- 3/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Lightweight Texture Gun
- 3mm, 4mm, 6mm, 8mm, Round Nozzles

Equipped with the job site proven RotoFlex II Pump.



On-board Toolbox conveniently stores all your accessory items.



RTX Texture

TexSpray RTX **2000**PI/2500PI/ **MOUPI**

DESCRIPTION	PART #
TEXSPRAY RTX 2000PI	17H573
ODEOLEIOATIONO	
SPECIFICATIONS	
MAX GPM (LPM):	2.0 (7.6)
MAX PSI (BAR):	70 (4.8)
CFM (CM) @ 20 PSI:	6.1 (.17)
HOPPER GAL (L):	13 (49)
MOTOR TYPE:	AC
MOTOR HP:	1.7
VOLTAGE:	120V
MAX HOSE FT (M):	50 (15.4)
DESCRIPTION	PART #
TEXSPRAY RTX 2500PI	170219
SPECIFICATIONS	
	2.5 (9.5)
SPECIFICATIONS Max GPM (LPM):	
SPECIFICATIONS Max GPM (LPM):	2.5 (9.5)
SPECIFICATIONS MAX GPM (LPM): MAX PSI (BAR): CFM (CM) @ 20 PSI:	2.5 (9.5) 100 (6.9)
SPECIFICATIONS MAX GPM (LPM): MAX PSI (BAR): CFM (CM) @ 20 PSI:	2.5 (9.5) 100 (6.9) 6.1 (.17)
SPECIFICATIONS MAX GPM (LPM): MAX PSI (BAR): CFM (CM) @ 20 PSI: HOPPER GAL (L):	2.5 (9.5) 100 (6.9) 6.1 (.17) 15 (57)
SPECIFICATIONS MAX GPM (LPM): MAX PSI (BAR): CFM (CM) @ 20 PSI: HOPPER GAL (L): MOTOR TYPE:	2.5 (9.5) 100 (6.9) 6.1 (.17) 15 (57) AC
SPECIFICATIONS MAX GPM (LPM): MAX PSI (BAR): CFM (CM) @ 20 PSI: HOPPER GAL (L): MOTOR TYPE: MOTOR TYPE: VOLTAGE:	2.5 (9.5) 100 (6.9) 6.1 (.17) 15 (57) AC 1.7 120V
SPECIFICATIONS MAX GPM (LPM): MAX PSI (BAR): CFM (CM) @ 20 PSI: HOPPER GAL (L): MOTOR TYPE: MOTOR TYPE: VOLTAGE:	2.5 (9.5) 100 (6.9) 6.1 (.17) 15 (57) AC 1.7

2000pi & 2500pi INCLUDES • 1 in x 25 ft Material Hose

- 3/8 in x 25 ft Air Hose
- Heavy-Duty Texture Gun
 3mm, 4mm, 6mm, 8mm, 10mm, 12mm Round Nozzles
- WideTex Adapter with 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips

DESCRIPTION TEXSPRAY RTX 5000PI

PART # 17H575

2.0

120V

100 (30)

SPECIFICATIONS MAX GPM (LPM): MAX PSI (BAR): CFM (CM) @ 20 PSI: HOPPER GAL (L): MOTOR TYPE: **MOTOR HP: VOLTAGE:** MAX HOSE FT (M):

INCLUDES

• 1 in x 25 ft Material Hose

- 3/8 in x 25 ft Air Hose
- Heavy-Duty Texture Gun 3mm, 4mm, 6mm, 8mm, 10mm, 12mm
- Round Nozzles WideTex Adapter with 4mm, 6mm,
- 8mm, 10mm, 12mm, XL W Tips



The RTX Pro Interior Series delivers an optimized texture system perfect for tradesmen and contractors seeking the time-saving features required for medium-to-large jobs. This professional solution is designed for increased productivity to get you on and off the job site faster.



Features Include:

RotoFlex Pump High-Output Air Compressor FlexChange Pump Section

PLUS

SmartStart[™] System

- Innovative system automatically starts pump and compressor when gun trigger is pulled, and shuts them off when released
- Provides a soft-start to eliminate material blast that can impact finish quality
- Reduces noise and vibration
- Extends pump and compressor life

"The RTX 5000PI is very fast, powerful, and easy to set up. I really like SmartStart and its consistent finish, being able to run longer hose lengths, and the 15/20 amp switch. I like everything about the machine!" - Adan Rodriguez Elite Drywall Specialties, West Covina, CA



Twin-Cylinder Air Compressor (5000PL only)

- High-output design delivers more air for demanding finishes
- Maintenance-free design
- Runs at lower RPM for longer life

WideTex Tips & Adapter

- Allows spraying in a uniform fan pattern
- Spray repeatable patterns with less material and pressure adjustment
- Increases productivity by more than 20%

Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector

- Durable aluminum design
- Oversized fluid/air passages
- Allows unit to be put in prime mode right at the gun!

1 in Skip-Bond Material/Air Hose

- Both hoses permanently bonded for easy handling
- Offers more Flexibility than ever before!

5.0 (19) 100 (6.9) 8.6 (.24) 15 (57) **DC Brusless** The **RTX Pro Exterior Series** is configured to tackle exterior jobs of all sizes. Ideal for the large residential and commercial contractor needing a compact yet powerful texture sprayer capable of handling a wide variety of materials, such as synthetic stuccos, deck coatings, stone paints and more.



Features Include:

RotoFlex HD Pump

Bonded Heavy-Duty Material/Air Hose FlexChange Pump Section

PLUS

SmartStart System

- Innovative system automatically starts pump and compressor when gun trigger is pulled, and shuts them off when released
- Provides a soft-start to eliminate material blast that can impact finish quality
- Reduces noise and vibration
- Extends pump and compressor life

Twin-Cylinder Air Compressor

- High-output design delivers more air for demanding finishes
- Maintenance-free design
- Runs at lower RPM for longer life

External Air Input

 Allows external air to be used for demanding finishes

WideTex with Hardened Tips & Adapter

- Allows spraying in a uniform fan pattern
- Spray repeatable patterns with less material and pressure adjustment
- Increases productivity by more than 20%
- 2X harder than Standard WideTex tips!

Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector

- Durable aluminum design
- Oversized fluid/air passages
- Allows unit to be put in prime mode right at the gun!

RTX Texture

TexSpray RTX 5000PX

DESCRIPTION TEXSPRAY RTX 5000px **PART #** 17H579

SPECIFICATIONS
MAX GPM (LPM):
MAX PSI (BAR):
CFM (CM) @ 20 PSI:
HOPPER GAL (L):
MOTOR TYPE:
MOTOR HP:
VOLTAGE:
MAX HOSE FT (M):

5.0 (19) 100 (6.9) 8.6 (.24) 15 (57) DC Brushless 2.0 120V

100 (30)

INCLUDES

- 1-1/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy Duty Texture Gun
 3mm, 4mm, 6mm, 8mm, 10mm,
- 12mm, Round Nozzles
- WideTex Adapter with Hardened 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips

TexSpray RTX 5500PX

DESCRIPTION TEXSPRAY RTX 5500px **PART #** 17H581

SPECIFICATIONS

MAX GPM (LPM):
MAX PSI (BAR):
CFM (CM) @ 20 PSI:
HOPPER GAL (L):
MOTOR TYPE:
MOTOR HP:
VOLTAGE:
MAX HOSE FT (M):

5.5 (21) 100 (6.9) 9.1 (.26) 15 (57) DC Brushless 2.0 240V 100 (30)

INCLUDES

- 1-1/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
 Heavy-Duty Texture Gun 3mm, 4mm, 6mm, 8mm, 10mm,
- 12mm, Round Nozzles • WideTex Adapter with hardened 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips

Connects to standard 220-240 Volt L6-30 receptacle (3 wire) on most distribution boxes or generators.



HTX 2030 Gas Mechanical Texture Sprayer

When it comes to spraying the most demanding materials, nothing compares to the HTX 2030 gas mechanical sprayer. Specially equipped with features and technologies to spray nearly everything, the HTX 2030 does what no other sprayer can accomplish. Whether your job requires exterior smooth and aggregate coatings, elastomerics, acrylic coatings, or drywall mud finishes, the proven HTX 2030 is the sprayer of choice. Add the available high-pressure MaxLife[®] Endurance Pump, and you can also spray the entire range of paints and primers! From texture finishing to final topcoat, you can count on the proven HTX to get the *entire* job done.

High-Output Texture Pump

- Uniquely designed pump with extra large passages allows pumping aggregated materials up to 2.5 mm
- No-tools hose connections at pump and gun
- Innovative soft seal in the foot valve ensures consistent and optimal performance
- Produces delivery rates to 3.0 gpm at 1000 psi for time-saving production rates
- Easily sprays smooth and aggregate textures, elastomerics and acrylic materials



PowerFlo[™] Control System

Innovative design remotely stops and starts material flow right at the pump, eliminating the need for a downstream valve.

- Offers a smooth, controlled material flow to prevent pack-out conditions
- Ensures a soft start, eliminating the material blast that can impact finish quality



Full-range flow control from .6 to 3 gpm

StraightThru™ Fluid Path

- StraightThru design eliminates turns and corners from pump to gun
- Puts less stress on material to virtually eliminate pack-out conditions
- Enables the spraying of today's more demanding and aggressive aggregate materials

Wide Variety of Applicators

- ► FreeFlo[™] Inline Gun offers oversized, unobstructed fluid passages to provide maximum flow
- Trigger Gun Applicator provides onehanded operation, has trigger shut-off to prevent material oozing, and is ideal for spraying EIFS and synthetic stucco finish coats
- Sprays air-assisted in either a round pattern or wide fan pattern for fast, consistent material coverage
- 3 ft Pole Gun* offers extended reach to minimize repositioning of lifts and ladders (patent pending)







- ► FlexHead[™] Pole Gun* offers greater control in tight areas, such as on scaffolding and around architectural detail
- Both new pole guns can spray in a wide fan pattern—an industry first!

*Sold Separately



Exclusive Convert-A-Pump[™] System (Included with HTX 2030 Complete Plus+)

- Innovative system allows user to convert unit to a high pressure airless sprayer for applying the wide range of heavier smooth coatings including skim coat in a Level 5 finish, primers and paints.
- System automatically recognizes installed pump and converts it to an airless sprayer.
- Allows you to upgrade your TexSpray HTX 2030 Complete to a TexSpray HTX 2030 Complete Plus+ at any time (with the MaxLife Endurance High-Pressure Pump Kit #24B140) to expand your job capabilities.



Gas Powered Aggregate

TexSpray HTX Complete

DESCRIPTION PART # **TEXSPRAY HTX 2030** COMPLETE WITH **FREEFLO INLINE GUN** 258740 **TEXSPRAY HTX 2030 COMPLETE WITH** TRIGGER GUN APPLICATOR 278677 **SPECIFICATIONS** MAX TIP SIZE: .071

MAX GPM (LPM): 3.0 (11) MAX PSI (BAR): 1000 (70) **ENGINE CC (HP):** Honda 200 (6.5)

- INCLUDES High-Output Piston Texture Pump
 - FreeFlo Inline Gun
 - RAC X 671 Airless Tip and Guard
 - 3/4 in x 50 ft (19 mm x 15 m) Hose

 - 55 Gallon Suction Set • Fine Finish Kit with 1/8 in, 1/4 in,
 - 5/16 in and 3/8 in Nozzles
 - 4 mm, 6 mm, 8 mm, 10 mm Nozzles

TexSpray HTX Complete Plus+

DESCRIPTION **TEXSPRAY HTX 2030 COMPLETE PLUS+** WITH FREEFLO **INLINE GUN**

258741

PART #

TEXSPRAY HTX 2030 COMPLETE PLUS+ WITH TRIGGER GUN APPLICATOR

278678

PLUS+ INCLUDES

All the parts of the HTX 2030 Complete

- PLUS
- MaxLife Endurance High Pressure **Airless Pump**
- Heavy-Duty Texture Gun
- RAC X 643 Airless Tip and Guard • 3/8 in x 50 ft (9.5 mm x 15 m)
- BlueMax[™] II Airless Hose
- 1/4 in x 3 ft (6.4 mm x .9 m) Whip Hose

Air-Powered Texture Sprayers High-performance solutions for heavy-duty jobs

Whether you need to apply a texture coating to a large interior surface, or an exterior aggregate finish on a large commercial job, these air-powered texture solutions get the job done fast! Powered by your external air compressor, these pumps offer unmatched performance, quiet operation and unique features found only on a Graco texture sprayer.

GTX 2000EX

Designed around Graco's proven Husky diaphragm pump, the GTX 2000EX is a highly portable texture system ideal for applying both smooth materials as well as those containing fine aggregates. Fitted with an oversized hopper and durable Graco Texture Gun, it's the ideal solution for drywall muds, deck coatings, and exterior aggregate acrylic and elastomeric finishes.

President 10:1

When you need to pump directly from the drum, look no further than the time-tested, proven President 10:1. Ideal for truck, trailer, or inplant locations, it features a high-output piston pump and Even-Flo Valve for consistent spray delivery. It's ideal for everything from smooth to heavily aggregated materials containing silica sand, perlite, vermiculite, polystyrene, and other aggregated materials.



Even-Flo Valve convenient for balancing of air and fluid pressures to deliver a high quality finish.

Husky[™] 1040 Double Diaphragm Pump

- ▶ Durable Geolast[™] ball check valves
- High-output, 1-inch pump produces texture delivery rates to 4.0 gpm

Air Spray Heavy-Duty Trigger Gun

- Durable cast aluminum design
- Oversized fluid passages for pumping heavy mud mixes and larger aggregate sizes
- Extra-coarse gun head threads for guick nozzle changes

Largest 17-Gallon Capacity Hopper

No-tools removal for easy clean up Steep sided to keep the thickest muds flowing to the pump

Separate Pump/Gun Air Controls

- One regulator controls pump pressure and output, another controls atomization air
- Enables you to produce precise, consistent and repeatable texture finishes

Bonded Material/Air Hose

- Both hoses are permanently bonded together for easy handling
- No-tools hose connection with oversized grip

On-Board Air Filtration

- Auto-drain design automatically removes moisture build-up
- Filters incoming air to keep your sprayer running at optimal performance

*User-supplied air compressor with minimum performance of 12 cu ft/min (.34 cu m/min) at 100 psi (6.9 bar) recommended.

EvenFlow® Valve

- Provides smooth, even material flow for the most consistent finish quality
- Includes air regulators and pressure gauges for easy setup and operation

Relax-A-Valve (Carbon Steel Model Only)

- Ensures a soft start with easy trigger pull
- Eliminates the material blast that can impact finish quality

High-Output Piston Pump

- Submerged foot valve is placed low to the ground to ensure the pump is preloaded with material
- Available in both carbon steel and stainless steel
- High-output pump produces texture delivery rates to 3.0 gpm (11 lpm) at 1000 psi (69 bar) for time-saving production ratios

Heavy-Duty Graco Air Motor

Time-tested air motor delivers years of reliable, dependable operation Simple, maintenance-free design

Convenient Drum Mount Set-Up

- Mounts directly to your material container, saving space in your truck or on the job
- Carbon steel units can be used in open or closed head drums

Air-Power Texture

TexSpray GTX

DESCRIPTION EXSPRAY GTX 2000ex	PART # 257030
FPECIFICATIONS Max GPM (LPM):	4.0 (15.1)
MAX PSI (BAR):	120 (8.3)
MAX HOSE FT (M):	100 (30)
IOPPER GAL (L):	17 (64.3)

INCLUDES

- Air Spray Trigger Gun
- 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, **12 mm Nozzles**
- 1 in x 25 ft (25.4 mm x 7.5 m)
- Bonded Air/Material Hose

President

DESCRIPTION	PART #
10:1 CARBON STEEL COMPLETE	225886
SPECIFICATIONS	
MAX GPM (LPM):	3.0 (11)
MAX PSI (BAR):	1000 (70)
MAX HOSE FT (M):	200 (61)

INCLUDES

- Heavy-Duty Air Spray Gun
- 6 mm Nozzle
- 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose
- 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose
- 3/4 in x 25 ft (19 mm x 7.5 m) **High Pressure Material Hose**

DESCRIPTION 10:1 Carbon Steel	PART #
COMPLETE	225877
10:1 SST COMPLETE	987429
SPECIFICATIONS	0.0 (11)
MAX GPM (LPM):	3.0 (11)
MAX PSI (BAR):	1000 (70)
MAX HOSE FT (M):	200 (61)

INCLUDES

DE

10:1

SPI MA) MAX PSI (BA MAX HOSE F

- Heavy-Duty Air Spray Gun
- 6 mm Nozzle
- 3/8 in x 100 ft (9.5 mm x 30 m) Air Hose
- 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose
 3/4 in x 50 ft (19 mm x 15 m)
- **High Pressure Material Hose**
- 1 in x 50 ft (25 mm x 15 m) **High Pressure Material Hose**

SCRIPTION I SST BARE	PART # 954088
ECIFICATIONS	
K GPM (I PM):	3.0 (11)

Pivi):	3.0 (11)
R):	1000 (70)
Г (М):	200 (61)

Choose the RIGHT SPRAYER

Different jobs require different equipment, and the TexSpray family of airless texture sprayers gives you what you need—options. Optimized specifically for medium- to high-viscosity coatings, ALL TexSpray airless sprayers feature technologies that no other airless sprayer can offer. From the standard direct immersion pump to the filterless guns with extra large fluid passages, Graco TexSpray airless sprayers are designed to deliver maximum production. No matter the size of the job, there is a Graco texture sprayer that will deliver the flow you want, to achieve the production rate you *need*!

Mark


The electric-powered Mark sprayers are ideal for the contractor who typically applies **interior** finishes and coatings. Ideal for Level 5, textured finishes with drywall mud, fire-stop, fireproofing, vapor barrier, duct sealant, and other coatings including the full range of primers and paints.

HD

The gas-powered HD sprayers are the sprayer of choice for the contractor who typically applies **exterior** coatings. Ideal for spraying elastomerics, waterproofing, vapor barriers, roof coatings and other heavy **exterior** coatings, they also easily spray the full range of paints and primers. The efficient direct-drive HD offers unmatched fuel economy and a lifetime drive train warranty.

DutyMax

The gas-powered, hydraulic DutyMax sprayers are the ideal choice for the contractor who typically applies **exterior** coatings on the biggest jobs. With models that convert to electric power, they are also versatile enough to be used on **interior** jobs. Ideal for spraying elastomerics, drywall mud, waterproofing, vapor barriers, roof coatings and other heavy coatings—and it can spray the full range of paints and primers!



Choose the RIGHT SERIES for all your texture applications.

Graco texture sprayers come with features designed to make your work easier, faster, and more productive. Whether you need the everyday reliability of our **Standard Series**, the increased speed and productivity of the **ProContractor Series**, or extreme ruggedness of the **IronMan Series**, Graco offers the perfect sprayer that's designed from the ground-up to meet your needs.



m.graco.com/cedseriesvid

If You're a Small Residential and Light Commercial Contractor

- > You're spraying multiple days a week
- > Your jobs are typically on the smaller side
- > You demand everyday reliability
- > You don't need a lot of extra features





You need a **Standard**Series sprayer.

EVERYDAY RELIABILITY

If You're a Large Residential and Commercial Contractor

You're spraying every day

ERIES

- ► You tackle medium to large projects
- You're moving frequently from job to job
- You need features that save you time and get you in, out, and on to the next job site







You need a **ProContractor** Series sprayer. WORK SMARTER, FINISH MORE JOBS

If You're a Large Commercial and Industrial Contractor

- You're spraying continuously in less-than-ideal conditions
- You handle large, long-duration projects that require large volumes of material
- You keep your equipment on-site in material
- > You require extreme durability and reliability





BEYOND JOBSITE TOUGH

SMALL RESIDENTIAL AND LIGHT COMMERCIAL



Mark Standard Series

When you're tackling texture projects multiple days a week, you demand reliability. Graco's Standard Series sprayers of the Mark texture sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

No matter what Standard Series sprayer you need, they all come equipped with many exclusive features found "Only On A Graco"



MaxPower Motor Graco's compact and powerful MaxPower brushless DC motors are designed to produce the most power possible for all painting applications.

- Higher torque = More work done
- Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray
- Brushless design means that you will never need to replace brushes
- Lifetime warranty

SmartControl[™] 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that

delivers a consistent spray fan without pressure fluctuations.

- Spray thicker coatings and run longer hoses
- ▶ ProGuard[™] Sprayer Protection System guards against bad or extreme jobsite power conditions




Rugged, Durable Cart Design With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- Thick chrome over steel withstands rugged environments
- Full pneumatic wheels absorb impacts and vibrations
 Retractable handle doubles as coiled hose storage
- Hi Boy TiltBack™ kickstand cart design holds the inlat
- ► Hi-Boy TiltBack[™] kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes







Advantage Drive[™] The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- Hardened steel gears run extremely quite
- The most durable, longest lasting drive in the industry
- Lifetime warranty

Easy Out[™] Pump Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled

 Large 22.3 square inch filtering area reduces tip clogs and ensures

Vertical filter removes with the cap

with dirt or debris.

a quality finish

for less mess

MARKV



SmartControl

Ready To Work Everything you need to get spraying—RAC X[™] SwitchTip[™], HD Blue Texture gun and 50 feet of BlueMax II hose is included.

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.

Endurance Pump with Max Flo[™]+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick, heavy material while protecting against pack-out and clogging.

ENDURANCE

- Foot valve is positioned low to the ground where it stays submerged in the material bucket
- New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out



Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying

LARGE RESIDENTIAL AND COMMERCIAL

Mark Procentractor VORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of the Mark family of texture sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the features of the Standard Series, **Plus** much more!

SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics
- ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions



WatchDog[™] The WatchDog Pump Protection System automatically shuts down the pump when material runs out or if the hose is damaged.

Prevents dry pumping damage





FastFlush[™] This high flow cleaning system runs faster and dramatically decreases cleaning time.

- Motor runs at super high speed
- Results in high flow and faster cleaning up to 4X faster using only half the water!
 Fast Flush



QuikReel[™] With the integrated QuikReel you can deploy and rewind the hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- ► Hose guide eliminates twisting, kinking, and coiling for one-person operation
- Hose is always connected and weight balanced to not tip over
- Use only the hose you need—the rest stays on the reel
- Hand crank folds away for storage and one man loading

Ready To Spray Everything you need—texture gun, SwitchTips and 100 feet of Blue Max II hose is already assembled and ready to use right out of the box, getting you working that much faster.



ProConnect[™] 2

This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.



- Eliminates costly jobsite downtime
- Quickly and easily swap out the pump for a spare

MAR

Pinless design needs no tools



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most.

LARGE COMMERCIAL AND INDUSTRIAL

Mark IonMan Series

Power, Durability and **Capability** is what makes an IronMan. From its MaxLife pump to its rugged roll cage frame, the IronMan series of Mark airless sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs.

IronMan Series sprayers have all the features of the Standard Series, **Plus** much, much more!

SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics
- ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions

WatchDog[™] The WatchDog Pump Protection System automatically shuts down the pump when material runs out or if the hose is damaged.

Prevents dry pumping damage





FastFlush[™] This high flow cleaning system runs faster and dramatically decreases cleaning time.

- Motor runs at super high speed
- Results in high flow and faster cleaning up to 4X faster using only half the water!



SmartControl.



Extreme-Duty MaxLife Pump Built for the

most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- Exclusive MaxLife sleeve and Chromex rod
- Lasts longer between repacks

PRO CONNECT

 Oversized fluid passages deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out



 Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying

ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- Eliminates costly jobsite downtime
- Quickly and easily swap out the pump for a spare
- Pinless design needs no tools

Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding jobsites.

- Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites
- Crush-proof intake screen stands up to harsh impacts



Flat-Proof Tires These tires can't be punctured by nails, screws or other sharp debris. They will <u>never</u> go flat, leaving the sprayer stranded on a job site.

Heavy-Duty Hose

high-performance BlueMax II airless hose and a Heavy-

Duty Blue Texture gun that

can handle spraving heavier

materials are included with every IronMan sprayer.

and Gun 100 feet of



Electric Airless

TexSpray

SERIES Standard	PART # 16W897
PROCONTRACTOR	16W898
SPECIFICATIONS MAX TIP SIZE:	.033
MAX GPM (LPM):	1.10 (4.1)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.2 hp Brushless DC

STANDARD SERIES UNIT:

• Flex Plus Gun

- LTX425 SwitchTip and Guard
 3/8 in x 50 ft (9.5 mm x 15 m)
- 3/8 in x 50 ft (9.5 min x 15 m)
 BlueMax II Airless Hose
 1/4 in x 3 ft (6.4 mm x 0.9 m)
- Whip Hose

PROCONTRACTOR SERIES UNIT:

- Flex Plus Gun
- LTX425 SwitchTip and Guard
- (2x) 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose

Texture spraying is all about high productivity, and that's where the **Mark IV** sprayer really delivers. Designed to save time and money by enabling you to spray more square footage in a day, this unit offers valuable, must-have features for the serious professional contractor. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint, this sprayer can do it all!









"We use Graco because they get the productivity we need. Everything in this industry is about productivity."

Joey Vukelich, General Foreman Performance Contracting, Inc.



The Graco TexSpray Mark V is built to deliver a higher flow rate that lets you get the job done faster. It features 20 percent more productivity than the Mark IV and comes with an upgraded Heavy-Duty Texture Gun. It can accommodate a larger tip size, and has the power to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint.

Electric Airless

TexSpray Mark V

SERIES Standard	PART # 16W905
PROCONTRACTOR	16W906
RONMAN	16X947
SPECIFICATIONS Max TIP Size:	.039
MAX GPM (LPM):	1.35 (5.1
MAX PSI (BAR):	3300 (22
	2.9 hn Bi

039 .35 (5.1) 3300 (227) 2.8 hp Brushless DC

INCLUDES

FXSPRA

STANDARD SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX425 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR AND IRONMAN SERIES UNIT:

- Heavy-Duty Texture Gun
 LTX425 SwitchTip and Guard
- (2x) 3/8 in x 50 ft (9.5 mm x 15 m) **BlueMax II Airless Hose**





Electric Airless

TexSpray 240 Volt

SERIES	PART #
STANDARD	16W908
PROCONTRACTOR	16X099
SPECIFICATIONS	
MAX TIP SIZE:	.045
MAX GPM (LPM):	2.10 (8.0)
MAX PSI (BAR):	3300 (227)
MOTOR:	4.0 hp Brushle

INCLUDES

- STANDARD SERIES UNIT:
- Heavy-Duty Inline Gun
 RAC X 531, 541 SwitchTips and Guard
 1/2 in x 50 ft (13 mm x 15 m)

ess DC

- **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT:

- Heavy-Duty Inline Gun
- RAC X 531, 541 SwitchTips and Guard • 1/2 in x 100 ft (13 mm x 30 m)
- **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

Connects to standard 220-240 Volt L6-30 receptacle (3 wire) on most distribution boxes or generators.



The Most Powerful Electric Airless Texture Sprayer-Period!

The TexSpray Mark X 240 Volt is our most productive electric airless/ texture unit. With nearly double the output of the Mark V, it is the sprayer of choice for serious professional contractors who take advantage of the 240 volt power available at a construction site or with a generator. A true powerhouse, it can easily spray skim coat in a Level 5 finish and drywall mud in an orange peel, splatter or knockdown finish. It can even apply the whole range of primers and paints.





SERIES

"The reason I use the Mark sprayer is because of the productivity and how much footage we get everyday."

Ron Fuller, General Foreman Anning-Johnson





SMALL RESIDENTIAL AND LIGHT COMMERCIAL

Standard Series

When you're tackling texture projects multiple days a week, you demand reliability. Graco's Standard Series of HD gas-powered sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

POWERED by HONDA

No matter what Standard Series sprayer you need, they all come equipped with many exclusive features found "Only On A Graco"

Honda[®] Engine This contractorpreferred, compact, and lightweight Honda engine is reliable, technologically advanced and easy to start

 Oil Alert shuts down engine if oil level drops too low, preventing damage

SmartControl 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

Spray thicker coatings and run longer hoses



Rugged, Durable Cart Design With a Graco

sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- Thick chrome over steel withstands rugged environments
- Full pneumatic wheels absorb impacts and vibrations
- Retractable handle doubles as coiled hose storage
- ► Hi-Boy TiltBack[™] kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes



Easy Out[™] **Pump Filter** The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- Large 22.3 square inch filtering area reduces tip clogs and ensures a quality finish
- ► Vertical filter removes with the cap for less mess

5900





Advantage Drive[™] The drive is the critical link between the engine and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- Hardened steel gears run extremely quite
- The most durable, longest lasting drive in the industry
- Lifetime warranty



Ready To Work Everything you need to get spraying—RAC X SwitchTip, HD Blue Texture gun and 50 feet of BlueMax II hose is included.

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.

SmartControl



Endurance Pump with Max Flo+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick, heavy material while protecting against pack-out and clogging.

- Foot valve is positioned low to the ground where it stays submerged in the material bucket
- New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out



Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying

LARGE RESIDENTIAL AND COMMERCIAL

HD Procontractor Series WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of HD texture sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the features of the Standard Series, **Plus** much more!



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

 Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics



WatchDog[™] The WatchDog Pump Protection System automatically shuts down the pump when material runs out or if the hose is damaged.

Prevents dry pumping damage





QuikReel[™] With the integrated QuikReel you can deploy and rewind the hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- ► Hose guide eliminates twisting, kinking, and coiling for one-person operation
- Hose is always connected and weight balanced to not tip over
- Use only the hose you need—the rest stays on the reel
- Hand crank folds away for storage and one man loading

martControl .





Ready To Spray Everything you need—texture gun, SwitchTips and 100 feet of Blue Max II hose is already assembled and ready to use right out of the box, getting you working that much faster.

EXSPRA

LAXLIF

7900 HD



ProConnect[™] 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- Eliminates costly jobsite downtime
- Quickly and easily swap out the pump for a spare
- Pinless design needs no tools



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most.

LARGE COMMERCIAL AND INDUSTRIAL

HD IronManSeries

Power, Durability and **Capability** is what makes an IronMan. From its MaxLife pump to its rugged roll cage frame, the IronMan series of HD gas-powered airless sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs.

IronMan Series sprayers have all the features of the Standard Series, **Plus** much, much more!



SmartControl 3.0 with LED Display

Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

 Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics



WatchDog The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

Prevents dry pumping damage

Heavy-Duty Hose and Gun

100 feet of high-performance BlueMax II airless hose and a Heavy-Duty Blue Texture gun that can handle spraying heavier materials are included with every IronMan sprayer. **Extreme-Duty MaxLife Pump** Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- \blacktriangleright Exclusive MaxLife sleeve and $\mathsf{Chromex}^{\scriptscriptstyle{\mathsf{TM}}}$ rod
- Lasts longer between repacks
- Oversized fluid passages deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
 - Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying





Flat-Proof Tires These tires can't be punctured by nails, screws or other sharp debris. They will <u>never</u> go flat, leaving the sprayer stranded on a job site.



MAXLI

ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- Eliminates costly jobsite downtime
- Quickly and easily swap out the pump for a spare
- Pinless design needs no tools



Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding jobsites.

- Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites
- Crush-proof intake screen stands up to harsh impacts



Gas Airless

TexSpray 5900 HD

SERIES Standard	PART # 16W889
PROCONTRACTOR	16W882
SPECIFICATIONS MAX TIP SIZE:	0.043
MAX GPM (LPM):	1.6 (6.0)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 160

INCLUDES

STANDARD SERIES UNIT:

- Heavy-Duty Texture Gun
 LTX531, LTX427 SwitchTips and Guard

(5.5)

- 3/8 in x 50 ft (9.5 mm x 15 m) **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT:

• Heavy-Duty Texture Gun

- LTX531, LTX427 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) **BlueMax II Airless Hose** AND
- 1/4 in x 50 ft (6.4 mm x 15 m) **BlueMax II Airless Hose**

Welcome to a new world of versatile gas-powered airless/ texture spraying with the TexSpray 5900 HD. Built with must-have features that are designed to save you time and money, the TexSpray 5900 HD delivers top-notch performance and versatility. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers, paints and other heavy coatings, this sprayer can handle just about any task you need it to. Doing the job just got easier with Graco!





SERIES

"We like to train with Graco equipment because we know that's what the guys are using in the field."

Tom Nesbitt Drywall Apprenticeship Coordinator Southern CA District Council 36



When you need the highest performance for the biggest jobs, look no further than the 7900 HD. Designed from pump to gun for maximum flow and extreme durability, every 7900 HD comes equipped with the Extreme-Duty MaxLife Endurance Pump—Graco's toughest pump. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers, paints and other heavy coatings, this sprayer can do it all!

tractor

STANDARD

ERIES



Gas Airless

TexSpray gnn

SERIES Standard	PART # 16W890
PROCONTRACTOR	16W888
IRONMAN	16X949
SPECIFICATIONS MAX TIP SIZE:	0.048
MAX GPM (LPM):	2.2 (8.3)
MAX PSI (BAR):	3300 (22

0.048 2.2 (8.3) 3300 (227) Honda 200 (6.5)

ENGINE CC (HP): INCLUDES

STANDARD SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX531, LTX427 SwitchTips and Guard 3/8 in x 50 ft (9.5 mm x 15 m)
- **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR AND IRONMAN SERIES UNIT:

- Heavy-Duty Texture Gun
 LTX531, LTX427 SwitchTips and Guard
 3/8 in x 50 ft (9.5 mm x 15 m)
 - **BlueMax II Airless Hose** AND
- 1/4 in x 50 ft (6.4 mm x 15 m) **BlueMax II Airless Hose**

SMALL RESIDENTIAL AND LIGHT COMMERCIAL

DutyMax StandardSeries

When you're tackling painting projects multiple days a week, you demand reliability. Graco's Standard Series of DutyMax hydraulic direct-immersion sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

All Standard Series sprayers come with these

"Only On A Graco" features:

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.

Honda[®] Engine Compact, lightweight, and powerful, Honda engines are reliable, technologically advanced, and easy to start.

- Oil Alert shuts down engine if oil level drops too low, preventing damage
- Contractor preferred



High-Capacity Cooling System A hydraulic pump is only as good as its cooling system, and Graco's innovative design allows the pump to run cooler and more efficiently.

- Innovative hydraulic reservoir is tapered on the bottom, allowing easier and more thorough fluid changes
- Cooling fins on reservoir deflect heat away from sprayer
- No special hydraulic fluid needed



Rugged, Durable Cart Design

With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- Thick chrome over welded steel withstands rugged environments
- Full pneumatic wheels absorb impacts and vibrations
- Retractable handle doubles as coiled hose storage



Endurance Pump with Max Flo+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick, heavy material while protecting against pack-out and clogging.

- Foot valve is positioned low to the ground where it stays submerged in the material bucket
- New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying

High-Efficiency Hydraulic Motor

Graco's hydraulic motor delivers rock-solid performance time after time and keeps you up and running.

- Faster, more responsive changeover
- 100% O-ring sealed fittings prevent leaks
- Fewer moving parts mean less maintenance and longer life

DUTYMAX GH230o





Easy Out Pump

Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish
- Vertical filter removes with the cap for less mess

Ready To Work Everything you need to get spraying—RAC X SwitchTip, HD Blue Texture gun and 50 feet of BlueMax II hose is included. **Indoor and Outdoor Use** Quickly swap the gas engine for an electric motor in seconds—without tools! (Available on DutyMax GH 230pl Convertible.)

LARGE RESIDENTIAL AND COMMERCIAL

DutyMax Procentractor NORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of DutyMax hydraulic airless sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the features of the Standard Series, **Plus** much more!



Ready To Spray Everything you need—RAC X SwitchTips, Heavy-Duty Texture gun and 100 feet of BlueMax II hose is already assembled and ready to use right out of the box, getting you working that much faster.



Extreme-Duty MaxLife Pump

Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- Lasts 6X longer between repacks
- Exclusive MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop and increased performance
- Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying

QuikReel With the integrated QuikReel you can deploy and rewind up to 300 feet of hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- Hose guide eliminates twisting, kinking, and coiling for one-person operation
- Hose is always connected and weight balanced to not tip over
- Use only the hose you need—the rest stays on the reel
- Hand crank folds away for storage and one man loading





ProConnect[™] Graco's ProConnect Pump Removal and Installation System makes it easy and fast to replace the pump.

- Eliminates costly job site downtime
- Quickly and easily swap out the pump for a spare
- Pinless design needs no tools

Heavy-Duty Rock Catcher Stands up to harsh impacts.



Hydraulic Airless

TexSpray DutyMax GH 230n Convertible

SERIES

STANDARD	24W943
STANDARD with Electric Motor Kit (non CSA)	24W944
STANDARD with Electric Motor Kit (CSA)	24W945
PROCONTRACTOR	24W962
PROCONTRACTOR with Electric Motor Kit (non CSA)	24W963
PROCONTRACTOR with Electric Motor Kit (CSA)	24W964
SPECIFICATIONS MAX TIP SIZE:	(with Gas Engine) 0.053
MAX GPM (LPM):	2.35 (8.9)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	200 (6.5)
SPECIFICATIONS MAX TIP SIZE:	(with Electric Motor) 0.031

PART #

MAX GPM (LPM): 1.10 (4.2)

INCLUDES

STANDARD SERIES UNITS:

- Heavy-Duty Texture Gun
- LTX427, LTX531 SwitchTips and Guard 3/8 in x 50 ft (9.5 mm x 15 m)
- **BlueMax II Airless Hose** • 1/4 in x 3 ft (6.4 mm x 0.9 m)
- Whip Hose

PROCONTRACTOR SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX427, LTX531 SwitchTips and Guard
- 3/8 in x 100 ft (9.5 mm x 30 m) **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

When you job requires maximum productivity and versatility, turn to the all new DutyMax GH 230pl sprayer to get the job done—fast! Equipped with a long stroke, direct immersion pump, this hydraulic workhorse is built for the biggest,

most demanding jobs and materials. Built for you in both Standard and **ProContractor Series.**

3111



The ability to convert from gas to electric in seconds without any tools!





Hydraulic Airless

TexSpray DutyMax **GH 300D**

SERIES Standard	PART # 24W967
PROCONTRACTOR	24W968
SPECIFICATIONS Max TIP Size:	0.057
MAX GPM (LPM):	3.0 (11.4)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	270 (9.0)

INCLUDES

- STANDARD SERIES UNITS:
- Heavy-Duty Inline Gun
 LTX643, WR1239 SwitchTips and Guard
- 1/2 in x 50 ft (9.5 mm x 15 m)
- **BlueMax II Airless Hose**
- 3/8 in x 10 ft (9.5 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT: • Heavy-Duty Inline Gun

- LTX643, WR1239 SwitchTips and Guard
- 1/2 in x 100 ft (9.5 mm x 30 m)
- **BlueMax II Airless Hose**
- 3/8 in x 10 ft (9.5 mm x 0.9 m) Whip Hose



New for 2018 DutyMax GH 675DI

6750 PSI . See GH Big Rig Brochure for more details PN 25D223 40

ENDURANCE ADVANTAGE PROGRAM

A SOLUTION TO KEEP YOU SPRAYING

Graco knows the last thing you can afford is costly downtime. And with the Endurance Advantage Program, you'll never need to worry about it. When you buy any new Graco sprayer, you can purchase an additional Endurance Pump for **up to 80% OFF** the list price—keep a spare on hand to save yourself time and money on every job. Or if you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. No matter what your choice, Graco ensures you'll always be up and spraying! Simply follow the registration instructions included with your sprayer.



PRO-CONNECT.2

m.graco.com/proconnect2vid

ProConnect No-Tools Pump Removal System makes swapping out the Endurance Pump fast and easy.

WARRANTY SPRAY PROTECTION

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do. . . *we will be there.*

LIFETIME MOTOR WARRANTY

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer (Mark IV, Mark V and Mark X 240 Volt).

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer (Mark IV, Mark V, Mark X 240 Volt, 5900 HD and 7900 HD).

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get *FREE* next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco distributors for country specifics.

Nobody Else Builds Sprayers Like This.

ACCESSORIES TEXTURE AIRLESS SPRAYERS

In addition to the industry's best sprayers, Graco makes the accessories that enable you to work faster and more productively. From rugged guns and tips to hoses and hoppers, Graco's accessories let you customize your sprayer for the maximum performance that best suits your work.

25-Gallon (95 Liter) Texture Hopper This versatile large-capacity hopper connects directly to the Mark IV, Mark V, Mark X 240 Volt, 5900 HD and 7900 HD. It boosts your productivity by minimizing material refills, and it's easy to attach and maneuver throughout the job site. Part #287987

Air Atomizer Kit Why limit what you can spray? The air atomizer kit attaches to the Heavy-Duty Texture Gun and the Flex Gun, allowing you to attach an air compressor to create decorative texture finishes such as orange peel, splatter and knock down. Part #244223 (no hose)

For TexSpray RTX and GTX Sprayers

1 =

288629	RTX 650, RTX 1400sı Air Spray Trigger	Gun					
288628	RTX 900/1250 Air Spray Trigger Gun						
24S134	RTX 1500, 2000PI & 5000PI Air Spray TI						
24S135	RTX 5000px & 5500px Air Spray Trigger	Gun with Threaded Connection	24				
248093	Air Spray Trigger Gun with threaded h	ose connection Replacement gun for					
	Compact HP and GTX 2000EX series spr						
287328	-	it Connect a separate air compressor for increased atomization ener	rgy.				
238807		e Connection (Not for use with RTX model sprayers.)					
238080		nnection (Not for use with RTX model sprayers.)					
287314	•	RTX 1500, RTX 5000pi, RTX 5000px, RTX 5500px					
288623	RotoFlex II Pump Hose: For use with R	ITX 650, RTX 900, RTX 1250, RTX 1400si, RTX 2000pi					
NOZZLES							
	n Pole Guns and FlexHead Guns						
190943	3/16 in (5 mm) Nozzle 19	0945 5/16 in (8 mm) Nozzle					
190944	, ,	0946 3/8 in (9.5 mm) Nozzle					
For use o	n RTX 650, 900, 1250 and Hopper Gu	ns					
234153	Spray Nozzle Kit						
	Includes 1 each of 4 mm, 6 mm, 8 n	nm and 12 mm nozzles.					
For use o	n RTX Heavy-Duty Texture Gun and G						
150883		mm Nozzle					
15C884							
15C885	6 mm Nozzle 15C888 12	mm Nozzle					
	n RTX Heavy-Duty Texture Gun and G	FX Heavy-Duty Texture Gun					
24S142	WideTex Accessory Kit	24S138 WideTex Tip, Hardened, w8, 6-Pack					
24S143	WideTex Accessory Kit, Hardened	24S139 WideTex Tip, Hardened, w10, 6-Pack					
24S136	WideTex Tip, Hardened, w4, 6-Pack	24S140 WideTex Tip, Hardened, w12, 6-Pack					
24S137	WideTex Tip, Hardened, w6, 6-Pack	24S141 WideTex Tip, Hardened, wXL, 6-Pack					
-		•••••••					
The second s							







For TexSpray Sprayers: RTX and GTX Sprayers CONT'D

HOSE KITS

 288622
 RTX 650 Hose Clear Braided Hose Kit: 3/4 in x 20 ft (19 mm x 6 m) Fluid Hose

 17J454
 RTX 900, 1250 and 1400SI Braided Hose Kit: 3/4 in x 25 ft (19 mm x 7.5 m)

 Fluid Hose and 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose

RTX STANDARD REPLACEMENT HOSE

17J454	Blue Translucent Hose Kit: 3/4 in x 25 ft (19 mm x 7.5 m)
17J420	Blue Translucent Hose Kit: 1 in x 25 ft (25.4 mm x 7.5 m)
17L001	Blue Translucent Hose Kit: 1 in x 35 ft (25.4 mm x 10.7 m)
17J421	Blue Translucent Hose Kit: 1 in x 50 ft (25.4 mm x 15 m)
17L004	Blue Translucent Hose Kit: 1-1/4 in x 25 ft (31.7 mm x 7.5 m)
17L006	Blue Translucent Hose Kit: 1-1/4 in x 35 ft (31.7 mm x 10.7 m)
17L008	Blue Translucent Hose Kit: 1-1/4 in x 50 ft (31.7 mm x 15 m)

HEAVY-DUTY HOSE

17L010	Blue Solid Heavy-Duty Hose Kit: 1 in x 10 ft (25.4 mm x 3 m) Whip
17L000	Blue Solid Heavy-Duty Hose Kit: 1 in x 25 ft (25.4 mm x 7.5 m)
17L002	Blue Solid Heavy-Duty Hose Kit: 1 in x 35 ft (25.4 mm x 10.7 m)
17L003	Blue Solid Heavy-Duty Hose Kit: 1 in x 50 ft (25.4 mm x 15 m)
17L005	Blue Solid Heavy-Duty Hose Kit: 1-1/4 in x 25 ft (31.7 mm x 7.5 m)
17L007	Blue Solid Heavy-Duty Hose Kit: 1-1/4 in x 35 ft (31.7 mm x 10.7 m)
17L009	Blue Solid Heavy-Duty Hose Kit: 1-1/4 in x 50 ft (31.7 mm x 15 m)



ADDITIONAL ACCESSORIES

248112	GTX 2000 Series Siphon Kit: For pumping directly from your mix container.
248117	GTX 2000 Series Air Line Kit: For remote operation of the GTX 2000Ex air compressor.
248515	Sponge Ball Clean-Out Kit: For 1 in (25 mm) ID Hose Qty 5
15T647	50 ft (15m) 240V Extension Cord for RTX 5500px

For TexSpray Sprayers: Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, DutyMax GH 230pl Convertible, DutyMax GH 300pl,

GUNS

uono		1000
246468	Flex Plus Gun	
241705	Heavy-Duty Blue Texture Gun	
245820	Inline Heavy-Duty Texture Gun	

GUN HOSE KITS

241338 Heavy-Duty Blue Texture Gun Hose Kit with 531 RAC X SwitchTip 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi Hose, 1/4 in x 3 ft (25 mm x 0.9 m) 3300 psi Whip Hose, Couplers and additional 427 RAC X SwitchTip Inline Heavy-Duty Texture Gun Hose Kit with LTX643 SwitchTip 1/2 in x 50 ft (13 mm x 15 m) 4000 psi Hose, 3/8 in x 12 ft (9.5 mm x 3.6 m) Whip Hose, Swivel and Fittings



HOPPER

287987 25 Gallon (95 Liter) Texture Hopper Directly connects to Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 5900 Convertible, 7900 HD, DutyMax GH 230DI Convertible, DutyMax GH 300DI.
 243380 Cam-Lock Hose Adapter Connects the texture hopper to the GMAX II 7900, 1030 FC units or HTX 2030 sprayers.

ADDITIONAL ACCESSORIES

244052 Heavy-Duty Texture Gun Air Atomizer Kit with Air Hose Minimum air compressor rating of 15 cfm at 90 psi.
244223 Heavy-Duty Texture Gun Air Atomizer Kit without Air Hose Minimum air compressor rating of 15 cfm at 90 psi
289669 55-Gallon Siphon Kit for Mark X 240 Volt, 7900 HD, DutyMax GH 230pl Convertible, DutyMax GH 300pl
15T647 50 ft (15 m) Extension Cord for Mark X 240 Volt

For TexSpray Sprayers: HTX 2030 Complete, HTX 2030 Complete Plus+ GUNS

FreeFlo Inline Gun with 4, 6, 8, 10 mm Nozzles, 18 and 30 Mesh Filters, RAC X 671 Tip and Guard
Pole Gun 3 ft (1 m) with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter
Flex Head Gun with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter
Heavy-Duty Blue Texture Gun
HTX 2030 Trigger Gun Applicator

NOZZLE SELECTION GUIDE*

Nozzle Size	Exterior Aggregate Material	Nozzle Size	Interior Smooth Material
3 mm	up to 1.0 mm (maximum)	3 mm	Fine Finish Orange Peel/Fog
4 mm	up to 1.25 mm (maximum)	4 mm	Fine Finish Orange Peel/Fog
5 mm	up to 1.5 mm (maximum)	5 mm	Orange Peel, Small Splatter
6 mm	up to 2.0 mm (maximum)	6 mm	Orange Peel, Small Splatter
8 mm	up to 2.5 mm (maximum)	8 mm	Splatter, Small to Medium Knockdown
9.5 mm	up to 2.5 mm (maximum)	9.5 mm	Acoustics/Popcorn, Splatter, Medium Knockdown
10 mm	up to 2.5 mm (maximum)	10 mm	Acoustics/Popcorn, Large Knockdown
11 mm	up to 2.5 mm (maximum)	11 mm	Acoustics/Popcorn, Large Knockdown
13 mm	up to 2.5 mm (maximum)	13 mm	Acoustics/Popcorn, Large Knockdown
14 mm	up to 2.5 mm (maximum)	14 mm	Acoustics/Popcorn, Large Knockdown

*Nozzle size requirement could vary based on material viscosity, desired finish, production rate and air settings.

FREEFLO INLINE GUN

287227 Fine Finish Kit

	Includes 3 mm	n, 6 mm, 8 mm, 9	9.5 mm Spray Discs	, Retaining Nut and Adapter.
248888	3 mm Nozzle	248526	8 mm Nozzle	
248524	4 mm Nozzle	248527	10 mm Nozzle	
248525	6 mm Nozzle			

POLE AND FLEX HEAD POLE GUNS

16A443	5 mm Nozzle	16A448	13 mm Nozzle
16A444	6 mm Nozzle	16A449	14 mm Nozzle
16A445	8 mm Nozzle	16A405	Cap, Nozzle – Medium
16A446	9.5 mm Nozzle	16A421	Cap, Nozzle – Hard
16A447	11 mm Nozzle	16A246	Fine Finish Adapter

HOSE KITS

24B3003/4 in x 50 ft (1.9 m x 15 m) Fluid Hose with Remote On/Off Switch17S2443/4 in x 100 ft (1.9 m x 30 m) Fluid Hose with Remote On/Off Switch

CONVERT-A-PUMP KIT

24B140 MaxLife Endurance High Pressure Pump Kit Includes: High Pressure Lower, Heavy-Duty Texture Gun, 3/8 in x 50 ft Hose (9.5 mm x 15 m), 1/4 in x 3 ft (25 mm x 0.9 m) 3300 psi Whip Hose and RAC X 643 SwitchTip.

ADDITIONAL ACCESSORIES

- 287987 25 Gallon (95 Liter) Texture Hopper
 243380 Cam-Lock Hose Adapter Connects Texture Hopper to the HTX 2030 High-Output Texture Pump.
 242414 Public Material Clastef Kit
- 24C414 Ball Valve Material Shutoff Kit

For Sprayers: President 10:1, 1030 FC

GUN AND GUN HOSE KIT

- 235490 10:1 President Air Spray Gun
- 235737 1030 FC Hose Kit 3/4 in x 50 ft (19 mm x 15 m) Fluid Hose, 1/2 in x 50 ft (13 mm x 15 m) Air Hose.

TexSpray FastFinish

25D496	FastFinish Pressure-Boosted Gun
25D497	G-TEX Gravity-Fed Gun

- 245924 Plastic Hopper Gun
- 17V692 WideTex (Fits FastFinish and G-Tex Gun
- (Includes adaptor, 4mm, 6mm, 8mm tips)
- 17V694 Nozzle Kit (4mm, 6mm, 8mm)
- 17U302 3/8 in x 50 ft Non Marking Air Hose





Texture Sprayer Specifications



		TexSpray RTX 1400sı	TexSpray RTX 2000pi	TexSpray RTX 2500pi	TexSpray RTX 5000pi	TexSpray RTX 5000px	TexSpray RTX 5500px 240 Volt	TexSpray GTX 2000ex	TexSpray FasFinish™
ANCE	Max psi (bar)	70 (4.8)	70 (4.8)	100 (6.9)	100 (6.9)	100 (6.9)	100 (6.9)	120 (8.3)	N/A
PERFORMANCE	Max gpm (Ipm)	1.4 (5.3)	2.0 (7.6)	2.5 (9.5)	5.0 (19)	5.0 (19)	5.5 (21)	4.0 (15.1)	N/A
	Motor	1.7 hp	1.7 hp	1.7 hp	2.0 hp	2.0 hp	2.0 hp	N/A	2.0 hp
COMPRESSOR	Compres- sor Air Output	6.1 cfm at 20 psi .17 m³/min	6.1 cfm at 20 psi .17 m³/min	6.1 cfm at 20 psi .17 m³/min	8.6 cfm at 20 psi .24 m³/min	8.6 cfm at 20 psi .24 m³/min	9.1 cfm at 20 psi .26 m³/min	User Supplied Air Compressor Required Minimum Requirements: 12 cfm at 100 psi.33 m³/min	9.0 cfm at 40 psi .25 m³/min
	Gun	Lightweight Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	FastFinish Pressure Boosted (Pro Model) G-TEX Gravity-Fed (Standard Model)
	Hose	3/4 in x 25 ft (19 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	1-1/4 in x 25 ft HD (32 mm x 7.5 m)	1-1/4in x 25 ft HD (32 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	3/8 in x 50 ft Non Marking Air Hose (Standard and Pro Models)
DES	Max Hose Length	25 ft (7.5 m)	50 ft (15.4 m)	75 ft (22.9)	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)	150 ft (46 m)
INCLUDES	Tips	3 mm, 4 mm, 6 mm, 8 mm round nozzles	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm WS tips, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with Hardened 4 mm 6 mm, 8 mm, 10 mm,12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with Hardened 4 mm 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm nozzles	4mm, 6mm, 8mm Nozzles WideTex Adapter with 4mm, 6mm, 8mm tips
SI	Weight Ib (kg)	63 (28.5)	70 (31.7)	72 (32.6)	159 (72.1)	163 (73.9)	163 (73.9)	95 (43)	Air Compressor: 68 lbs (27) FastFinish Gun: 4.8 (2.2) G-TEX Gun: 4.1 (1.9)
DIMENSIONS	Dimen- sions	20 W x 24 L x 41 H in (51 W x 61 L x 104 H cm)	22 W x 24 L x 41 H in (46 W x 56 L x 104 H cm)	22 W x 24 L x 41 H in (46 W x 56 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	26 W x 27 L x 40 H in (66 W x 88 L x 102 H cm)	15 W x 22 L x 37 H in (38 W x 56 L x 94 H cm)
	Hopper gal (liter)	10 (38)	13 (49)	15 (56)	15 (57)	15 (57)	15 (57)	17 (64)	FastFinish 1.5 gal G-TEX 2.0 gal
MANUALS	Operation	3A3258	3A3258	3A3258	3A3265	3A3265	3A3265	313384	3A5542
MAN	Repair	3A3258	3A3258	3A3258	3A3265	3A3265	3A3265	313385	3A5542
TYPICAL APPLICATIONS	Materi- als Sprayed	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic, drywall mud, elastomerics, deck coatings and some cement-based materials	Simulated acoustic, drywall mud, elastomerics, deck coatings and some cement-based materials	Simulated acoustic, drywall mud, elastomerics, deck coatings and some cement- based materials	Acoustics, Acrylics, Drywall Mud, Elastomeric, Deck Coatings, Fireproofing, Waterproofing, Cement based materials
API	Sur- faces	Residential and light commercial interiors	Residential and light commercial interiors	Residential and light commercial interiors	Residential and light commercial interiors	Residential and commercial exteriors	Residential and commercial exteriors	Residential and commercial exteriors	Residential and commercial interiors and exteriors
MODEL	Part Number	17H572	17H573	17U219	17H575	17H579	17H581	257030	FastFinish Pro: Complete System 25D492 FastFinish Standard: Complete System 25D494 FastFinish CF9 Air Compressor Only: 25D490 FastFinish Pressure- Boosted Gun Only: 25D496 G-TEX Gravity-Fed Gun Only: 25D497



10:1 President

SPRAYER CONFIGURATIONS

TECHNICAL SPECIFICATIONS

ICE	Max psi (bar)	1000 (70)	
RFORMAN	Max gpm (lpm)	3.0 (11)	
E E	Motor	President Air	
Compressor Air Output		User Supplied Minimum Air Compressor Rating: 80 cfm at 90 psi for best results	
6	Gun	Heavy-Duty Air Spray	
	Max Hose Length	200 ft (60.7 m)	
=	Nozzle	6 mm	
SNOI	Weight Ibs (kg)	43 (20) Pump Only	
DIMENS	Dimensions	7 w x 57 l x 18 w in (18 w x 145 l cm)	
JALS	CS Models	306402	
MANI	SST Models	309489	
PICAL APPLICATIONS	Materials Sprayed	Smooth to heavily aggregated textures with silica sand, perlite, vermiculite and polystyrene, smooth, medium, coarse and extra coarse grade	
TYPIC	Surfaces	Heavy-duty residential and commercial interiors and exteriors	
MODEL	Part Number	Carbon Steel Complete-225886 Carbon Steel Complete-225877 SST Bare-954088 SST Complete-987429	





_	TexSpray HTX 2030 Complete		HTX 2030 ete Plus+	
Part Number	258740	258	8741	
For Spraying	For exterior aggregate and smooth finishes as well as common interior texture finishes such as orange peel, splatter, knockdown and simulated acoustic	For exterior aggregate and smoot finishes as well as common inter texture finishes. Can also airlessly apply the wide range of heavier smooth coatings, Level 5, primers and paints		
INCLUDES:				
High-Output Piston Texture Pump	√	√		
FreeFlo Inline Gun	\checkmark		\checkmark	
3/4 in x 50 ft (19 mm x 15 m) Hose	√		√	
55-Gallon Suction Set	\checkmark		√	
Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in and 3/8 in Nozzles	V		√	
4, 6, 8, 10 mm Nozzles	√		\checkmark	
RAC X 671 Airless Tip	\checkmark		√	
MaxLife Endurance High Pressure Airless Pump	Optional (Pump Kit 24B140)	1		
Heavy-Duty Texture Gun	N/A	√		
3/8 in x 50 ft (9.5 mm x 15 m) Blue Max II Hose & 3 ft (1 m) Whip Hose	N/A	√		
RAC X 643 Airless Tip	N/A		√	
-	High-Output Texture Pump	With High-Output Texture Pump	With MaxLife Endurance High Pressure Pump	
Maximum Tip Size	0.071	0.071	0.048	
Maximum gpm (lpm)	3.0 (11)	3.0 (11)	2.2 (8.3)	
Maximum psi (bar)	1000 (70)	1000 (70)	3300 (227)	
Honda Engine cc (hp at 3600 rpm)	200 (6.5)	200 (6.5)		
Compressor	User supplied air compres- sor required for some texture finishes. Minimum air compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results	n Minimum air compressor rating 25 cfm at 90 psi (708 lpm at 6.2		
Weight Ibs (kg)	155 (70)	155 (70)	150 (68)	
PUMP:				
Intake	QuikAccess	QuikAccess	QuikAccess	
Rod	Hard Chrome	Hard Chrome	Chromex	
Sleeve	Hard Chrome	Hard Chrome	MaxLife	
Packings	HD Poly	HD Poly	V-Max Blue	

		TexSpray Mark IV	TexSpray Mark V	
	Maximum Tip Size	0.033	0.039	
	Maximum psi (bar)	3300 (227)	3300 (227)	
SNOI	Maximum gpm (lpm)	1.10 (4.1)	1.35 (5.1)	
SPECIFICATIONS	Motor/Engine	MaxPower 2.2 hp Brushless DC	MaxPower 2.8 hp Brushless DC	
PECIE	Control	SmartControl 3.0	SmartControl 3.0	
S	Weight Ib (kg)	108 (49)	135 (61)	
	CompressorCompressor and Air Atomizer KitAir Outputrequired for some texture finishes		Compressor and Air Atomizer Kit required for some texture finishes	











	SERIES TYPE	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	IRONMAN
MODEL	Part Number	16W897	16W898	16W905	16W906	16X947
	Gun	FlexPlus	FlexPlus	Heavy-Duty Texture	Heavy-Duty Texture	Heavy-Duty Texture
INCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 100 ft (9.5 mm x 30 m)
Z	Tip(s)	RAC X 425	RAC X 425	RAC X 427 and 531	RAC X 427 and 531	RAC X 427 and 531
	Filter	60 Mesh Easy Out				
	Туре	QuikChange System	ProConnect 2	QuikChange System	ProConnect 2	ProConnect 2
PUMP	Rod	Chromex	Chromex	Chromex	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST	Hardened SST	Hardened SST	MaxLife Extreme Duty
		-	QuikReel	-	QuikReel	Roll Cage Frame
		-	FastFlush	_	FastFlush	LED Display
	ADDITIONAL SERIES FEATURES		LED Display		LED Display	WatchDog
	FEATURES		WatchDog		WatchDog	Flat-Proof Tires
		-	On-Board Toolbox	-	On-Board Toolbox	FastFlush
MANUAL	Operation	332916	332916	332916	332916	332916
MAN	Parts	332918	332918	332918	332918	332918
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials
T APP	Surfaces	Medium to large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors			

		TexSpray Mark X 240 Volt	
	Maximum Tip Size	0.045	
	Maximum psi (bar)	3300 (227)	
SNOI	Maximum gpm (lpm)	2.10 (7.9)	
SPECIFICATIONS	Motor/Engine	MaxPower 4.0 hp Brushless DC	
PECI	Control	SmartControl 3.0	
S	Weight Ib (kg)	142 (64)	
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	
		den den	



Part Number		STANDARD	PROCONTRACTOR
		16W908	16X099
	Gun	Heavy-Duty Inline Texture	Heavy-Duty Inline Texture
INCLUDES	Hose	1/2 in x 50 ft (13 mm x 15 m)	1/2 in x 100 ft (13 mm x 30 m)
Z	Tip(s)	LTX531 and LTX541	LTX531 and LTX541
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2
PUMP	Rod	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST
	С	-	QuikReel
		_	_
	ADDITIONAL SERIES FEATURES	-	LED Display
	FEATURES	-	WatchDog
		-	On-Board Toolbox
MANUAL	Operation	332916	332916
MAN	Parts	332918	332918
TYPICAL Applications	Materials Sprayed	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials
APPL	Surfaces	Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors



		TexSpray 5900 HD	TexSpray 7900 HD	
	Maximum Tip Size	0.043	0.048	
	Maximum psi (bar)	3300 (227)	3300 (227)	
SNOI	Maximum gpm (Ipm)	1.60 (6.0)	2.20 (8.3)	
SPECIFICATIONS	Motor/Engine	Honda 160 cc (5.5 hp)	Honda 200 cc (6.5 hp)	
PECIE	Control	SmartControl 3.0	SmartControl 3.0	
S	Weight Ib (kg)	147 (67)	159 (72)	
	Compressor Compressor and Air Atomizer Kit Air Output required for some texture finishes		Compressor and Air Atomizer Kit required for some texture finishes	











			•			
	SERIES TYPE	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	IRONMAN
MODEL	Part Number	16W889	16W882	16W890	16W888	16X949
	Gun	Heavy-Duty Texture				
INCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 100 ft (9.5 mm x 30 m)
	Tip(s)	LTX427 and LTX531	LTX427 and TX531	LTX427 and LTX531	LTX427 and LTX531	LTX427 and LTX531
	Filter	60 Mesh Easy Out				
	Туре	QuikChange System	ProConnect 2	QuikChange System	ProConnect 2	ProConnect 2
PUMP	Rod	Chromex	Chromex	Chromex	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST	MaxLife Extreme Duty	MaxLife Extreme Duty	MaxLife Extreme Duty
		-	QuikReel	-	QuikReel	Roll Cage Frame
	ADDITIONAL	-	-	-	-	LED Display
	SERIES	-	LED Display	-	LED Display	WatchDog
	FEATORES	-	WatchDog	-	WatchDog	Flat-Proof Tires
		-	On-Board Toolbox	-	On-Board Toolbox	
MANUAL	Operation	332919	332919	332919	332919	332919
MAN	Parts	332921	332921	332921	332921	332921
TYPICAL Applications	Materials Sprayed	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

G H 300 di
o)
izer Kit finishes





SERIES TYPE		STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR
MODEL	Part Number	24W943 Gas Only 24W944 Gas and 120V Electric (non CSA) 24W945 Gas and 120V Electric (CSA)	24W962 Gas Only 24W963 Gas and 120V Electric (non CSA) 24W964 Gas and 120V Electric (CSA) 17G592 Diesel Only	24W967	24W968
INCLUDES	Gun Hose	Heavy-Duty Texture 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	Heavy-Duty Texture 3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	Heavy-Duty Inline 1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless 3/8 in x 10 ft (9.5 mm x 0.9 m) BlueMax II Whip Hose	Heavy-Duty Inline 1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless 3/8 in x 10 ft (9.5 mm x 0.9 m) BlueMax II Whip Hose
	Tip(s) Filter	LTX427 and LTX531 60 Mesh Easy Out	LTX427 and LTX531 60 Mesh Easy Out	LTX643 and WR1239 60 Mesh Easy Out	LTX643 and WR1239 60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2	QuikChange System	ProConnect 2
PUMP	Rod	Hard Chrome	Hard Chrome	Hard Chrome	Hard Chrome
<u>م</u>	Sleeve	Hardened SST	MaxLife Extreme Duty	Hardened SST	MaxLife Extreme Duty
	•	-	QuikReel	-	QuikReel
		-	Heavy-Duty Rock Catcher	-	Heavy-Duty Rock Catcher
	ADDITIONAL SERIES FEATURES	-		-	
	FEATURES	_		-	
		-		-	
MANUAL	Operation				
MAN	Parts				
TYPICAL Applications	Materials Sprayed	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials
APP	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors



ABOUT GRACO

🛭 | PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441 Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

AMERICAS

MINNESOTA Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

EUROPE

BELGIUM European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

CHINA

Graco Fluid Equipment (Shanghai) Co., Ltd Building 7, 1029 Zhongshan Road South Huangpu District, Shanghai, 200011, China Tel: 86 512 6260 5711 Fax: 86 21 6495 0077

INDIA

Graco Hong Kong Ltd. India Liaison Office Room 443, Augusta Point Regus Business Centre 53 Golf Course Road Gurgaon, Haryana India 122001 Tel: 91 124 435 4208 Fax: 91 124 435 4001

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc. Shinhan Bank Building 4th Floor #1599 Gwanyang-Dong, Dongan-Ku, Anyang-si, Korea 431-060 Tel: 82 31 476 9400 Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE Call today for product information or to request a demonstration. 800-690-2894 or visit us at www.graco.com. Graco Inc. is registered to I.S. EN ISO 9001

North America Customer Service 800-690-2894 Fax 800-334-6955

> ©2018 Graco Inc. 300581 Rev. Q 1/18 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. Blue is a trademark of Graco Inc. for Contractor Equipment Sprayers. Product covered by issued and pending patents, see graco.com/lus/en/patents