



# GMAX™ II Standard

The Industry Standard in Petrol-Powered Airless Sprayers



## EVERYDAY RELIABILITY

- Rely on the industry standard: the Graco Endurance™ Chromex Pump.
- Trust in proven technology with the Advantage Drive System. Runs quietly and is guaranteed to last a lifetime.
- Count on the SmartControl™ 3.0 Pressure Control to get your day-to-day jobs done! It delivers a consistent spray fan without fluctuations while protecting your investment against poor power conditions.

Heavy Duty Applications

GMAX™ II 3900 STANDARD - GMAX™ II 5900 STANDARD - GMAX™ II 7900 STANDARD  
GMAX™ II 5900 HD STANDARD - GMAX™ II 7900 HD STANDARD

# GMAX II Standard

# Petrol-Powered Airless Sprayers for Professionals

## For Everyday Reliability!

If you're looking for technology that gets the job done, this is for YOU. Technology that has proven to do the trick, time and time again. The GMAX II family consists of Graco's most popular petrol-powered Airless sprayers for professionals. With over 25 years' experience in providing proven quality and unmatched on-the-job productivity, it has become an industry standard. A standard you can trust to get the job done.

**THE STANDARD SERIES** are suited for professionals that don't need extras but are looking for everyday reliability to get the job done quickly and easy.

### CHOOSE THE RIGHT UNIT

The GMAX II range is ideally suited for high-production professional contractors who demand uninterrupted performance without the need for electric power.

The **GMAX II 3900** (120 cc) is the perfect sprayer for professional paint jobs on new residential construction job sites.

The **GMAX II 5900** is a step up from that. With its 200 cc Honda engine, it delivers the output you require for larger commercial paint projects. Along with its high performance 200 cc Honda® engine, the **GMAX II 7900 HD** is equipped with a heavy duty pump, enabling it to easily spray all thicker coatings as well as the full range of primers and paints.

... and go for the Standard Series for everyday reliability! Take a look at the features that have turned our GMAX II range into the industry standard. Discover this standard, like so many other professionals have already.

### Endurance™ Chromex™ Piston Pump


Repack the pump in minutes with the new QuikPak Cartridge System

- QuikChange™ pump design allows you to swap the pump easily on the job
- Faster cleaning with the QuikAccess™ intake foot valve
- All GMAX II 7900 sprayers feature Graco's extreme-duty MaxLife™ Pump with both MaxLife sleeve and rod



### Honda® Engines

The industry standard engine for the industry standard sprayer! All GMAX II units are equipped with Honda® engines (contractor preferred) that deliver unmatched performance to the pump.



### Advantage Drive™

The drive is the critical link between the engine and the pump. Graco doesn't leave the production of our Advantage Drive System to others; we design and manufacture it at our world-class manufacturing facility in the United States.

- Hardened steel gears run extremely quietly
- The most durable, longest lasting drive in the industry



SMARTCONTROL™

### SmartControl™ 3.0 with Pressure Gauge

Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- Spray thicker coatings and run longer hoses

## Materials & Applications

The GMAX II STANDARD series are ideal for spraying a full range of coatings during residential, commercial and industrial jobs. Spray acrylics, primers, emulsions, waterborne and solvent-based paints with the 3900 and 5900, or upgrade to the 7900 HD to handle most common anti-corrosive and fire-retardant paints and Airless plasters as well!



### TiltBack™ Cart Design

Sprayer kick stand allows convenient, one-person bucket change and makes it easier to clean and maintain your pump.

### Semi-Pneumatic Wheels

- Roll easily over rough terrain



## Contractor PC™ Gun

**FINISH JOBS FASTER  
WITH LESS FATIGUE**  
Premium Comfort for All-Day Spraying

- Lightest gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit adjustable trigger length


PATENT PENDING

**REDUCE DOWNTIME  
WITH PROCONNECT**  
Complete Gun Rebuild in Seconds PATENT PENDING

- Needle and all wear parts in one simple cartridge



**CONTRACTOR PC**



## EXTEND YOUR SPRAYING AUTONOMY

When used with a hopper or container suction kit, you can work for longer periods of time before refilling. Use for overnight storage or to transport your material. You will save energy, time and money.



### ! TIP

Always begin working at low material pressure.

Gradually raise the pressure, but only to the minimum pressure required for successful application. Using too much pressure can cause pack-out due to aggregated materials or dirt.

For improved pump performance when spraying paint with the GMAX II 7900 HD unit, replace the ceramic ball in the lower pump with the SST ball (delivered free of charge with the unit).



VS



PATENT PENDING

### OLD way

### NEW way

Modular pre-oiled cartridge packings install correctly every time

## QuikPak™ Cartridge System

Repack the entire pump in minutes



Insert pre-oiled packing cartridge assembly



Remove disposable clip



Assemble pump

# GMAX™ II Standard



## GMAX II Standard 7900 (7900 HD)

	3900	5900 (5900 HD)	7900 (7900 HD)
<b>Part Numbers:</b>	<b>17G999</b>	<b>17H810 (17H819)</b>	<b>17H818 (17H820)</b>
Max. Tip Size: 1 gun	0.036"	0.043"	0.047"
Max. Flow - l/min (gpm)	4.7 (1.25)	6.0 (1.6)	8.3 (2.2)
Max. Pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)
Engine displacement - cm <sup>3</sup>	120	200	200
Pump	Paint	Paint (HD Texture)	Paint (HD Texture)
Piston rod	Chromex™	Chromex (Hard Chrome)	MaxLife™
Sleeve	Hard Chrome	Hard Chrome	MaxLife
MaxFlo™ 2	–	– (✓)	– (✓)
Gun	Contractor PC™	Contractor PC (HD Blue Texture)	Contractor PC (HD Blue Texture)
Tips	517	517 (427,531)	517 (427,531)
Hose	1/4" x 15 m	1/4" x 15m (3/8" x 15 m)	1/4" x 15 m (3/8" x 15 m)
Whip hose	–	(1/4" X 0.9 m)	(1/4" X 0.9 m)
Weight - kg (lbs)	50 (109)	64 (139)	67 (146)

**UNPACK, PLUG & SPRAY!** Ready to go: the GMAX II Standard Series shipped complete and ready to spray. SmartControl™ 3.0, TiltBack™ cart design, whip hose, BlueMax™ II hose, 246215 RAC X HandTite™ guard, gun, 206994 TSL™ 0.25 litre.

## Accessories

*Get the most out of your equipment by using our professional accessories:*

### Guns

17Y043	Contractor PC™ Airless gun, RAC X 517
289605	TexSpray™ blue gun with RAC X guard and RAC X 531 tip
245820	Inline™ 4-finger plaster gun, 280 bar

### RAC X™ Tip Extensions

287019	25 cm
287020	40 cm
287021	50 cm
287022	75 cm

### Additional Accessories

287987	90-litre hopper kit
289587	Bag roller
24M445	Heavy duty container suction kit 40 cm, 2" hose with 1" to DIN C clamp connectors.

### Gun-Tip-Hose Kits

17Y051	Contractor PC gun, 1/4" X 15 m hose, 3/16" x 0.9 m whip, RAC X 517
289611	TexSpray blue gun, 3/8" X 15 m hose, 1/4" x 0.9 m whip, RAC X 531/427 tip, 276 bar
289585	Inline 4-finger plaster gun, 1/2" x 15 m hose, 3/8" x 3.6 m whip, RAC X 643 + WA 1239 tip, 280 bar

### CleanShot™ RAC X Pole Gun

287026	90 cm
287027	180 cm

### Hoses (230 bar)

240794	1/4" x 15 m
240797	3/8" x 15 m
223771	1/4" x 30 m
241275	3/8" x 30 m
241272	1/4" x 20 m

### Whips (230 bar)

238358	3/16" x 0.9 m
238959	3/16" x 1.4 m
238359	3/16" x 1.8 m

### Standard Endurance™ Pump Lowers

16Y598	GMax II 3900
16Y706	GMax II 5900
16X429	GMax II 5900 HD
16X423	GMax II 7900
25E689	GMax II 7900 HD

### Hose Connectors

156971	1/4" x 1/4" (M) x (M)
157350	1/4" x 3/8" (M) x (M)

### Easy Out™ Gun Filters

287032	Easy Out gun filter, 60 mesh x 1
287033	Easy Out gun filter, 100 mesh x 1
287034	Kit: 60 mesh x 1 + 100 mesh x 1

### Easy Out™ Pump Filters

244071	30 mesh, grey
244068	100 mesh, blue
244067	60 mesh, black
244069	200 mesh, red

### Liquids

206994	TSL™ 0.25 l
253574	Pump Armor™ 1 l
245133	Pump Armor 3.8 l

**For more information regarding other GMAX II sprayers:** GMAX II ProContractor Series: leaflet 300719 - GMAX II IronMan Series: leaflet 300769

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.

GRACO DISTRIBUTION BVBA Industrieterrein Oude Bunders • Slakweidestraat 31 • B-3630 Maasmechelen  
Tel: +32 (89) 770 700 • Fax: +32 (89) 770 777 • <http://www.graco.com>



Every Graco purchase comes with A+ Customer Service.

