

# **GNax<sup>™</sup> I ProContractor** Top of the line Petrol-Powered Airless Sprayers



## WORK SMARTER THANKS TO THE LATEST INNOVATIONS

- Keep the sprayer on the job site and out of the shop! The ProConnect<sup>2</sup> pump installation and removal system allows you to change the pump in seconds.
- Monitor the performance of your investment more easily the LED display is bright and easy to read.
- Comfortable and time saving, the QuikReel<sup>™</sup> hose reel allows you to save time and money.



**GMax<sup>™</sup> II** ProContractor

**Petrol-Powered Airless Sprayers** 

It's for YOU, the smart professional, that Graco keeps reinventing spray equipment technology. Because we know you're looking for the latest innovations to help you finish jobs faster, and with less fuss and fatigue.

**The ProContractor Series** of our GMax II range include top of the line innovations, for top of the line professionals that aren't satisfied with "just" high quality technology, but demand more.

### Choose the right unit...

The GMax II range is ideally suited for high production professional contractors who demand uninterrupted performance with freedom from electric power.

The GMAX II 3900 (120 cc) is the perfect sprayer for the professional paint jobs on new residential construction job sites.

The GMAX II 5900 is a step up from that. With its 160 cc Honda engine, it delivers the output you required for larger commercial paint projects.

Along with its high performance 200 cc Honda engine, the GMAX II 7900 HD is equipped with a heavy duty pump, and as such can easily spray all thicker coatings as well as the whole range of primers and paints.

# ... and go for the ProContractor Series for ultimate comfort and luxury!

Have a look at the latest innovative features we've added to the ProContractor Series of the GMAX II range.

This is what distinguishes you from other professionals. This is where you save time and money. This is where you stand out.

## QuikReel™ Integrated Hose Reel Work more comfortably and more efficiently. Roll out and up

in a few seconds up to 90m hose - spray in a range of 180m without moving the unit, and get in, out and on to the next job site faster!



PRD CONNECT.

### **ProConnect**<sup>2</sup>

Keep the sprayer on the job site and out of the shop! The ProConnect<sup>2</sup> pump installation and removal system allows you to change the pump in seconds, saving valuable time.

## SMARTCONTROL<sup>™</sup>

## SmartControl<sup>™</sup> 3.0 with LED display

Protect and monitor your investment more easily, with the bright and easy to read LED display that shows the job/lifetime/liter counter and the self diagnostics provided by the new and improved "brains" of the unit the SmartControl 3.0.

### **FastFlush**<sup>™</sup>

Fast Flush.

Save time cleaning your unit! The FastFlush pump cleaning system cleans the unit up to four times faster using only half the water.

## **Materials & Applications**

The GMAX II PROCONTRACTOR series are ideal units to spray a full range of coatings on residential, commercial and industrial jobs.

SmartControl

Spray acrylics, primers, emulsions, waterborne and solvent based paints with the 3900 and 5900, or move up to the 7900 HD version and be able to handle most common anti-corrosive and fire retardant paints and airless plasters as well!







## **GOOD TO KNOW**

## **EXTEND YOUR SPRAYING AUTONOMY**

When used with a hopper or container suction kit, you can work for longer periods of time before refilling. Use for overnight storage or to transport your material.

You will save energy, time and money.

### **On-Board Toolbox** Convenient storage container keeps tools, tips, filters and accessories where you need them most.

### Endurance<sup>™</sup> Pump

Graco's proven and reliable piston pump technology with LongLife-V packings. QuickAccess™ intake valve to easily clean or clear debris. Spring loaded for better pump efficiency.

www.graco.com

ipped wit In METER

TEXSPRAY

7900 H

## **TIP**

## ALWAYS BEGIN WORKING AT LOW MATERIAL PRESSURE.

Slowly raise the pressure, but only to the minimum pressure required for a successful application. Using too much pressure can cause pack-out due to aggregated materials or dirt.

For improved pump performance when spraying paint with the GMAX II 7900 HD unit, replace the ceramic ball in the lower pump with the SST ball (delivered free with the unit).

## WatchDog<sup>™</sup> Pump Protection System

The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

Prevents dry pumping damage







# **GMax II** ProContractor Accessories

Get the most out of your equipment, using our professional accessories

| Impro      | ve your                                                         | finishing q                                                                          | uality   |                     |                                       |                        |                                                                                      |
|------------|-----------------------------------------------------------------|--------------------------------------------------------------------------------------|----------|---------------------|---------------------------------------|------------------------|--------------------------------------------------------------------------------------|
|            | Guns                                                            |                                                                                      |          | Gun, Tip, Hose Kits |                                       |                        |                                                                                      |
| Top        | 262114<br>289605                                                | Contractor™ Airless gun, RAC X™ guard, no tip<br>TexSpray™ blue gun with RAC X guard |          |                     | A.                                    | 288491                 | Contractor gun, 1/4" X 15 m hose, 3/16"<br>x 0.9 m whip, RAC X PAA621 tip, 248 bar   |
| THE        | 209000                                                          | and RAC X 531                                                                        |          | AC X guaru          |                                       | 289611                 | TexSpray blue gun, 3/8" X 15 m hose, 1/4"                                            |
|            | 245820                                                          | Inline <sup>™</sup> 4-finger Plaster gun, 280 bar                                    |          |                     |                                       |                        | x 0.9 m whip, RAC X 531/427 tip, 276 bar                                             |
|            | Tino Cuord                                                      |                                                                                      |          |                     |                                       | 289585                 | Inline 4-finger plaster gun, 1/2" x 15 m                                             |
|            | Tips, Guards and Air Nozzles<br>PAAXXX Blue RAC X tip for paint |                                                                                      |          |                     |                                       |                        | hose, 3/8" x 3.6 m whip, RAC X 643 +<br>WA1239 tip, 280 bar                          |
|            | HDAXXX                                                          | Brown RAC X tip                                                                      |          | heavy coatings      |                                       |                        | WAT200 lip, 200 but                                                                  |
| d e        | WAXXXX                                                          |                                                                                      |          |                     |                                       | <b>ProContra</b>       | actor ProConnect <sup>2</sup> Pump Lowers                                            |
|            | 246215                                                          | RAC X guard                                                                          |          |                     |                                       | 16X414                 | GMax II 3900                                                                         |
|            |                                                                 |                                                                                      |          |                     |                                       | 16X419                 | GMax II 5900                                                                         |
|            | RAC X Tip I                                                     |                                                                                      |          | 10                  |                                       | 16X421                 | GMax II 5900 HD                                                                      |
| 20         | 287019                                                          | 25 cm                                                                                | 287020   | 40 cm               |                                       | 16X426                 | GMax II 7900                                                                         |
| 23         | 287021                                                          | 50 cm                                                                                | 287022   | 75 cm               |                                       | 16X427                 | GMax II 7900 HD                                                                      |
|            | CleanShot™ RAC X Pole Gun                                       |                                                                                      |          |                     |                                       | Additional Accessories |                                                                                      |
|            | 287026                                                          | 90 cm                                                                                | 287027   | 180 cm              | · · · · · · · · · · · · · · · · · · · | 287987                 | 90 liter hopper kit                                                                  |
|            | Delleve Fut                                                     |                                                                                      |          |                     | 200                                   | 289587                 | Bag roller                                                                           |
|            | 6880095                                                         | Rollers Exterior (complete)<br>6880095 30 cm fixed                                   |          |                     |                                       | 24M445                 | Heavy duty container suction kit 40 cm<br>2" hose with 1" to DIN C clamp connectors. |
|            | 098084                                                          | 90-180 cm teles                                                                      | scopic   |                     |                                       |                        |                                                                                      |
|            | 098085                                                          |                                                                                      |          |                     |                                       | Easy Out™              | " Gun Filters                                                                        |
|            |                                                                 |                                                                                      |          |                     |                                       | 287032                 | Easy Out gun filter, 60 mesh x 1                                                     |
| Ŧ          | Hoses (230                                                      |                                                                                      | _        |                     | 1111                                  | 287033                 | Easy Out gun filter, 100 mesh x 1                                                    |
|            | 240794                                                          | 1/4" x 15 m                                                                          | 240797   | 3/8" x 15 m         |                                       | 287034                 | Kit: 60 mesh x 1 + 100 mesh x 1                                                      |
|            | 223771<br>241272                                                | 1/4" x 30 m<br>1/4" x 20 m                                                           | 241275   | 3/8" x 30 m         |                                       | Fasy 0ut™              | * Pump Filters                                                                       |
|            | LIILIL                                                          | 1/1 X 20 m                                                                           | •        |                     | 1000                                  | 244071                 | 30 mesh, grey 244068 100 mesh, blue                                                  |
| $\bigcirc$ | Whips (230                                                      | ) bar)                                                                               |          |                     |                                       | 244067                 | 60 mesh, black 244069 200 mesh, red                                                  |
| ()         | 238358                                                          | 3/16" x 0.9 m                                                                        | 238959   | 3/16" x 1.4 m       |                                       |                        |                                                                                      |
| $\sim$     | 238359                                                          | 3/16" x 1.8 m                                                                        |          |                     |                                       | Liquids                |                                                                                      |
|            |                                                                 |                                                                                      |          |                     | 9.0                                   | 206994                 | TSL <sup>™</sup> 0.25 I                                                              |
|            | Hose Conn                                                       |                                                                                      | · (N /I) |                     |                                       | 253574                 | Pump Armor™ 1 I                                                                      |
| 19 M       | 156971                                                          | 1/4" x 1/4" (M)                                                                      |          |                     |                                       | 245133                 | Pump Armor 3.8 I                                                                     |
|            | 157350                                                          | 1/4" x 3/8" (M)                                                                      | x (IVI)  |                     |                                       |                        |                                                                                      |

## **GMax II** ProContractor

### Unpack, plug & spray!


Ready to go, the GMax II ProContractor Series ship complete and ready to spray!

SmartControl<sup>™</sup> 3.0, WatchDog<sup>™</sup>, FastFlush<sup>™</sup>, ProConnect 2<sup>™</sup>, QuikReel<sup>™</sup>, gun with HandTite<sup>™</sup> RAC X<sup>™</sup> guard and tips, BlueMax<sup>™</sup> II whip hose 0.90 m, BlueMax II hose 30m, TSL<sup>™</sup> 0.25 liter, 197193 universal hammer tool, 111733 adjustable wrench and blue tool box.

Everything completely assembled!

Find this unit at:

## Specifications



GRACO BVBA • Fluid Handling Solutions Industrieterrein Oude Bunders • Slakweidestraat 31 • B-3630 Maasmechelen Tel. (32) 89 770 700 • Fax (32) 89 770 777 www.graco.com © 2014 Graco BVBA · Form No. 300719ENEU (rev.A) · 05/14 · Printed in Europe.

Graco is certified ISO 9001.

All information, illustrations, and specifications in this document are based on the latest product

information available at the time of publication. The right is reserved to make changes at any time without notice.