

3M Science.
Applied to Life.™

Introducing the new and improved


3M™ Hookit™ Blue Net Abrasives



Go for performance.
Leave the dust behind.

3M™ Hookit™ Blue Net Abrasives

Introducing a revolutionary net abrasive designed to help meet the rigorous demands of the body repair process. This new abrasive is engineered to provide exceptional durability and resilience, ensuring it can withstand the toughest conditions encountered during repair work.




Discover the power of 3M™ Hookit™ Blue Net Abrasives

Transform your sanding experience with 3M™ Hookit™ Blue Net Abrasives, designed to elevate performance and simplify your abrasive needs. These advanced discs and sheets offer exceptional durability, reducing the need for frequent replacements and ensuring consistent results over time. With a wider range of grades, they cater to diverse applications, providing the flexibility required for various tasks. Their superior dust extraction capabilities promote a cleaner workspace, enhancing efficiency and air quality. Embrace a more productive and streamlined sanding process with 3M™ Hookit™ Blue Net Abrasives, where durability meets versatility and cleanliness.

Unmatched durability and performance

Crafted with a unique blend of ceramic and aluminium oxide minerals, 3M™ Hookit™ Blue Net Abrasives offer a superior cut rate and longevity. Experience consistent, high-quality finishes with improved durability, thanks to our advanced abrasive technology. The new and improved design ensures better back-up pad attachment, increased edge retention, and excellent resistance to wrinkling, stretching, or tearing.



An abrasive that holds up when it matters.

Recommended grades for use

Grade	Application
80	General stock removal. Used to clean the repair area and remove all loose paint particles or rust. Initial filler shaping.
120	Used to clean the repair area and remove all loose paint particles or rust. Filler sanding.
150	Used to clean the repair area and remove all loose paint particles or rust. Filler sanding.
180	Feather edge around the repair area.
220	Feather edge around the repair area. Surface refinement.
240	Surface refinement. Filler shaping.
320	Primer refinement before paint application. Surface preparation for sealer.
400	Primer refinement before paint application. Preparation for sealer and base coat application.

3M™ Hookit™ Blue Net Abrasives



3M™ Hookit™ Attachment

Grade	203 mm Net Disc 25 Discs/carton 6 Cartons/case	150 mm Net Disc 50 Discs/roll 4 Rolls/case	75 mm Net Disc 50 Discs/roll 4 Rolls/case	Net Sheet Roll 70 mm (W) x 10 m (L) 5 Rolls/case	Net Sheet Roll 115 mm (W) x 10 m (L) 3 Rolls/case
80	36411	36420	36449	36462	36470
120	36412	36421	36450	36463	36471
150	36413	36422	36451	36464	36472
180	36414	36423	36452	36465	36473
220	36415	36424	36453	36466	36474
240	36416	36425	36454	36467	36475
320	36417	36426	36455	36468	36476
400	36418	36427	36456	36469	36477

Experience unmatched sanding performance

Choose our competitively priced net abrasive for best-in-class sanding performance and over 95% dust extraction. Designed for durability, it withstands daily use on edges and contoured surfaces. Our enhanced 3M™ Hookit™ Blue Net Abrasives offer superior cut, extended life, and exceptional dust extraction.



Take the next step in sanding innovation.
Choose 3M™ Hookit™ Blue Net Abrasives
for your job and experience the difference.



Automotive Aftermarket Division

3M United Kingdom PLC
3M Centre
Cain Road
Bracknell, RG12 8HT
www.3M.co.uk

3M Ireland Ltd
Ella House
39-43 Merrion Square, Dublin 2
D02 NP96, Ireland
www.3Mireland.ie

Product selection and use: Many factors beyond 3M's control and uniquely within users' knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customers' application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., EU OHS legislation, Management of Health and Safety at Work Regulations 1999 etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, limited remedy and disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.