

Product Transition Guide

A simple reference document to support the transition to a new upgraded range of products.

For over 40 years, 3M[™] Cubitron[™] Performance Abrasives have always delivered maximum productivity, but now the best have gotten even better! Introducing 3M[™] Cubitron[™] 3 Performance Abrasives - the next generation of awesome.

Our new product line uses groundbreaking advancements in precision-shaped grain to deliver 3X the performance in life and cut rate than ever before. Discover the difference with 3M™ Cubitron™ 3 Performance Abrasives and experience improvements in all areas of your shop through productivity, worker safety and sustainability.







Our portable bonded wheels have evolved.

3M CUBITR NIII

Launched in 2012, this was the first range of portable bonded wheels using 3M's precision-shaped triangular grain abrasives.

This range will now be replaced by our latest and best offering.



3M

Cubitr**⇒**n[™] 3

Significantly raising the benchmark for cut rate and product life in heavy grinding and cutting applications.

We've re-engineered precisionshaped ceramic triangular grain using proprietary breakthroughs in molecular bonding technology.



Up to 3X longer lasting.

Responding to industry requirements for better product productivity, worker safety and sustainability, 3M has developed abrasive wheel technologies that make portable bonded wheels work even faster and last even longer than our current best performing range. Performance is so good compared to existing 3M™ Cubitron™ II Performance Abrasives that we've established a new generation of products called 3M™ Cubitron™ 3 Performance Abrasives.

3M™ Cubitron™ Portable Bonded Wheels will be upgraded.

To maximise simplicity and value to our customers, the current 3M™ Cubitron™ Portable Bonded Wheel range will be discontinued and replaced by 3M™ Cubitron™ 3. Customers will benefit from a wider product choice, better performance and optimised sustainability with no change in list price.

What's New

3M[™] Cubitron[™] 3 Depressed Center Grinding Wheels



+50%
Longer Life
vs 3M** Cubitron** II

+14%
Faster Cut

Range Expansion

Specific product lines have been introduced where wheel construction and grain type are optimised for applications such as gouging and back grinding where the wheel is used on its edge.



3M[™] Cubitron[™] 3 Cut-Off Wheels



3X Longer Life +10%
Faster Cut
vs 3M™ Cubitron™ II

Range Expansion

A 0.8mm thickness option has been added that offers better speed on thin substrates. A 1.3mm thickness option as a compromise between the speed of a 1.0mm and the life of a 1.6mm.

0.8mm

Performance Enhancing Packaging

When cut-off wheels are properly protected from atmospheric moisture, product life can be extended by up to 20%.1

1. 3M Internal Data

3M™ Cubitron™ 3 Cut and Grind Wheels

Here we've reformulated wheel composition to offer even better balance and a smoother action while maintaining best in class performance.



Range Expansion

We've added a 3.2mm option for applications requiring a thinner grinding profile. A thinner wheel also makes it grind faster too!



Product Transition Cross Reference Chart

						Discontinued 3M™ Cubitron™ II Wheels	Replacement 3M™ Cubitron™ 3 Wheels
	Wheel	Туре	Diameter (mm)	Thickness (mm)	Center Hole (mm)	3M ID	3M ID
		T27	115	7	22.23	7100074406	7100303983
	ter els	T27	125	7	22.23	7100074405	7100303982
	Depressed Center Grinding Wheels	T27	150	7	22.23	7100074524	7100303981
		T27	180	7	22.23	7100074407	7100303980
	din	T27	230	7	22.23	7100074408	7100303979
	pre	Gouge Special Wheels					
ì	ညီပ	T27	125	7	22.23	N/A	7100312955
		T27	150	7	22.23	N/A	7100303963
		T27	180	7	22.23	N/A	7100305453
	"	T27	100	3.2	15.88	N/A	7100305445
ı	eel	T27	115	3.2	22.23	N/A	7100305449
	Š	T27	125	3.2	22.23	N/A	7100305448
ĺ	ק	T27	150	3.2	22.23	N/A	7100305148
×	Ë	T27	180	3. 5	22.23	N/A	7100305447
	Þ	T27	230	3. 8	22.23	N/A	7100305446
	Cut and Grind Wheels	T27	100	4.2	15.88	7100017401	7100305450
	C	T27	115	4.2	22.23	7100017404	7100303975
		T27	125	4.2	22.23	7100017402	7100303974
		T27	150	4.2	22.23	7100017403	7100303973
		T27	180	4.2	22.23	7100017411	7100303972
		T27	230	4.2	22.23	7100017410	7100303971
	ဟ	T41	75	1	6.35	7100094853	7100303861
	ee	T41	75	1	8	7100094903	7100304124
	Off Wheels	T41	75	1	9.53	7100094854	7100304121
Ē	#	T41	75	1	10	7100094904	7100304123
	Cut-C	T41	100	2	15.88	7100228587	7100303830
	วี	T41	115	0.8	22.23	N/A	7100304305
		T41	115	1	22.23	7100094902	7100304120
		T41	115	1.6	22.23	7100231330	7100304003
		T42	115	2.5	22.23	7100228947	7100303996
		T41	125	0.8	22.23	N/A	7100304127
		T41	125	1	22.23	7100094901	7100304306
1		T41	125	1.3	22.23	N/A	7100304304
Ē		T41	125	1.6	22.23	7100231356	7100303829
		T41	125	2	22.23	7100231343	7100304000
		T42	125	2.5	22.23	7100228958	7100303995
		T41	125 150	2	22.23	7100231332 N/A	7100303831 7100304056
		T41	180	2	22.23	7100136995	7100304056
		T42	180	2.5	22.23	7100136993	7100303999
		T41	230	2.5	22.23	7100136993	7100303994
				2.5			
		T41 T42	230	2.5	22.23	7100136991	7100303997 7100303993
						7100136994	
		T41	230	3.0	22.23	7100136992	7100303832







When will the new 3M™ Cubitron™ 3 Performance Abrasives replacement products be available?	3M™ Cubitron™ 3 Performance Abrasives will be available to our distribution partners from October 2023.
When will the discontinued 3M™ Cubitron™ II Performance Abrasives stop being supplied?	3M recommends switching to the new products as a priority as soon as they become available. Based on typical demand patterns, 3M anticipates stocks of some items will start to run out in November 2023.
How can customers access the new products to trial first?	Based on our own internal and field testing, most customers should be confident that running extensive testing should not be required. However, if a trial is required, please speak with your 3M Abrasives distributor.
Will the new upgraded 3M™ Cubitron™ 3 Performance Abrasives be sold at a higher price?	The country list prices will be similar to the existing 3M™ Cubitron™ II Performance Abrasives range.
Why has 3M introduced a special grinding wheel for gouging applications?	After listening to customers that do a lot of gouging and back grinding in their operations, the required performance parameters mean a dedicated product with a purpose made formulation optimized for this work. This helps deliver high performance that 3M™ Cubitron™ 3 represents.
Why won't 3M™ Cubitron™ II Performance Abrasives continue to be sold?	This helps with selection simplicity, which customers tell us is important. Thanks to the manufacturing technology advances we have made, the price/ performance differential between the two ranges means there is no need to retain the existing range.

Sustainability matters to 3M Abrasives.

When you buy from the SEAM value chain, you are helping to build a sustainable future for our industry, for people and for the planet.

3M is a founding member of the SEAM abrasives manufacturers program and aligns to the world's highest standards of quality, safety and performance in a sustainable environment.

We commit to transparency, accountability, innovation and progress. When buying from the SEAM value chain, customers are helping to build themselves a sustainable future.



Find out more at www.seam.earth



Learn more at 3M.co.UK/Abrasives

3M

3M United Kingdom PLC 3M Centre Cain Road Bracknell RG12 8HT Tel: +44 8705 360036 abrasives.uk@mmm.com www.3M.co.uk/abrasives 3M Ireland Limited
The Iveagh Building
The Park
Carrickmines
Dublin 18
Ireland
Tel: +353 1800 303 437

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to properly. Memery, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs). 3M warrants that each 3M product the specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product of the one to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, space, incidental, or consequential (including, but not limited to, but not limited to, warranty, ontertact, negligence, or strict liability.

3M and Cubitron are trademarks of 3M Company. All other trademarks are property of their respective owners. $@\ 3M\ 2023$. All rights reserved. 61-5005-0074-1